




1212, 578 TIANBAO ROAD
SHANGHAI 200086
CHINA

Mainbon Group Company Limited

Go Kart Catalog 2008



Top Quality



+86 (21) 65150222/0333;



+86 (21) 65150777;



sales@exportscooter.com



1212, 578 TianBao Road, Shanghai 200086 China.



MAINBON GROUP COMPANY LIMITED

Tel: +86 (21) 6515-0222/0333/0993/1039, Fax: +86 (21) 6515-0777
Add: 1212, 578 TianBao Road, ShangHai 200086 China

Catalog

Model: GK-03

Descriptions



Mini Go Kart with 5.5HP, 4-stroke, single cylinder, air cooled EPA approved engine
163cc Displacement
Drive system is direct drive axle
Max speed 35km/h

Specifications

Model No: GK-03

Specifications:

Engine: EPA approved, 4-stroke, single cylinder, air cooled.

Displacement: 163cc

Power: 5.5HP

Starting System: Recoil pull start

Clutch Type: Centrifugal dry

Brake System: Real disc brake

Fuel Tank capacity: 0.95gallon/3.6L

Distance on full tank: 110km

Drive system: direct drive axle

Max speed: 35km/h

Tires: 6inch racing tires

Pay Load: 110kg



EPA



Model: GK-50



Descriptions

49cc Go Kart with 4-stroke, single cylinder, air cooled engine
CVT Transmission system
Mechanical disc brake
Front and Rear spring shock absorber
Max speed 25km/h

Specifications

Model No: GK-50

Specifications:

1) Dimensions (L x W x H): 1510 x 970 x 1150mm

2) Net weight: 78kg

3) Engine: single cylinder, 4-stroke, air-cooled

4) Engine model: 142F

5) Max. speed: 25km/h

6) Displacement: 49cc

7) Fuel tank capacity: 2.5L

8) Fuel consumption: 2L/100km

9) Wheel base: 1090mm

10) Brake: mechanical disc brake

11) Tire:

a) Front: 4.1 x 6

b) Rear: 13 x 5-6

12) Suspension:

a) Front: spring shock absorber

b) Rear: spring shock absorber

13) Transmission: chain

14) Transmission system: CVT

15) Starter system: electric / pull start backup

16) Stander power: 1.2/6800kW/r/min

17) Max. torque: 2.0/4500N.m/r/min

18) Color available: red, blue, silver, dark green

Outer packing:

Dimensions (L x W H): 1510 x 920 x 520mm

Conveyance:

Qty/20' FCL: 40pcs

Qyt/40' HQ: 115pcs



MAINBON GROUP COMPANY LIMITED

Tel: +86 (21) 6515-0222/0333/0993/1039, Fax: +86 (21) 6515-0777
Add: 1212, 578 TianBao Road, ShangHai 200086 China

Catalog

Model: GK-150



Descriptions

149.5cc Go Kart with 4-stroke, single cylinder, air cooled engine
Chain Transmission system
Front and Rear disc brake
Front and Rear spring shock absorber
Max speed 80km/h

Specifications

Model No: GK-150

Specifications:

1) Dimensions (L x W x H): 2275 x 1400 x 1470mm

2) Wheelbase: 1499mm

3) Dry weight: 155kg

4) Max. speed: 80km/h

5) Economical fuel consumption: 2.5L/100km

6) Front/rear brakes: disc/disc

7) Front/rear tires: 21 x 7-10/22 x 11-10

8) Fuel tank capacity: 10L

9) Front suspension: spring shock absorber

10) Rear suspension: spring shock absorber

11) Engine model: 157QMJ

12) Displacement: 149.5cc

13) Engine type: single cylinder, 4-stroke, air-cooled

14) Transmission: auto

15) Transmission system: chain

16) Starting method: electric

17) Standby power: 7.4kW/7500rpm

18) Max. torque: 10.5N.m/6000rpm

19) Available colors: red, blue, silver, dark green

Outer packing:

Disassemble tires, protection leg, carrier

Dimensions (L x W x H): 2230 x 1180 x 860mm

Conveyance:

Qty/20' GP: 10units

Qty/40' HQ: 33units



MAINBON GROUP COMPANY LIMITED

Tel: +86 (21) 6515-0222/0333/0993/1039, Fax: +86 (21) 6515-0777
 Add: 1212, 578 TianBao Road, ShangHai 200086 China

Catalog

Model: GK-150-2



Descriptions

149.5cc Double Seat Go Kart with 4-stroke, single cylinder, air cooled engine
 CVT Transmission system
 Double Chains
 Front and Rear disc brake
 Front and Rear spring shock absorber
 Max speed 50Km/h

Specifications

Model No:	GK-150-2
dimension(L*W*H)	2430*1400*1465
packing dimension(L*W*H)	2230*1180*860
wheel base(mm)	1480
dry weight(kg)	265
max. speed(km/h)	50
economical fuel consumption(1/100km)	2.5
fr brake/rr brake	disk/disk
fr tyre/rr tyre	21*7-10/22*11-10(without EEC) 21*7-10/22*10-10(EEC)
fuel tank capacity(L)	9.5
front suspension	spring shock absorber
rear suspension	spring shock absorber
engine model	157QMJ
displacement	149.5
engine type	single cylinder,4-strokes,air-cool
transmission	chain
transmission system	CVT
starter system	electric
stander power(km/r/min)	7.4/7500
max. torque(n.m/r/min)	10.5/6000
color available	red,blue,silver,dark green,black,yellow
container quantity	20'container:10units. 40'HC container:30units.
	disassembly tire,protection leg,carrier
attractive	1.chrome rim 2.double chains 3.rear disc brake 4.front disc brake 5.strong shock absorber



MAINBON GROUP COMPANY LIMITED

Tel: +86 (21) 6515-0222/0333/0993/1039, Fax: +86 (21) 6515-0777
 Add: 1212, 578 TianBao Road, ShangHai 200086 China

Catalog

Model: GK-250



Descriptions

244.3cc Double Seat Go Kart with 4-stroke, single cylinder, water cooled engine
 CVT Transmission system
 Double Chains
 Front and Rear disc brake
 Front and Rear spring shock absorber
 Max speed 70Km/h

Specifications

Model No:	GK-250 Double seat
Dimension(L*W*H)	2430*1400*1465
Packing dimension(L*W*H)	2230*1180*860
Wheel base(mm)	1480
Dry weight(kg)	265
Max.speed(km/h)	70
economical fuel consumption(1/100km)	2.8
Fr brake/rr brake	Disk/disk
Fr tyre/rr tyre	21*7-10/22*11-10(without EEC) 21*7-10/22*10-10(EEC)
Fuel tank capacity(L)	9.5
Front suspension	Spring shock absorber
Rear suspension	Spring shock absorber
Engine model	172QMJ
Displacement	244.3
Engine type	SINGLE CYLINDER,4-Strokes,water-cool
Transmission	Chain
Transmission system	CVT
Starter system	Electric
Stander power(km/r/min)	12.5/6500
Max torque(n.m/r/min)	17.6/6000
Color available	Red,bule,silver,dark green
Container quantity	20Container:10Units. 40HCcontainer:30 Units.
	Disassembly tire,protection bar,carrier
attractive	1.chrome rim 2.Double chains 3.Rear disc brake 4.Front disc brake 5.Strong shock absorber



MAINBON GROUP COMPANY LIMITED

Tel: +86 (21) 6515-0222/0333/0993/1039, Fax: +86 (21) 6515-0777
Add: 1212, 578 TianBao Road, ShangHai 200086 China

Catalog

Model: GK-650

Descriptions



649cc Go Kart with single cylinder, 4-stroke, water-cooled engine

Shaft drive and two rear wheels

Max speed 80km/h

Specifications

Model No: GK-650

Specifications:

Dry weight (kg/pound): 490kg/1,080.5lbs

Ground clearance (mm/inch): 205mm/8.1"

Exterior size (L x W x H): 3,300 x 1,680 x 1,600mm/129.9 x 66.1 x 63.0"

Climbing ability: 45, maximum: 80km/h

Fuel capacity: 20L

Displacement: 649cc

Engine type: single cylinder, 4-stroke, water-cooled

Driving mode: shaft drive, two rear wheels

Max. power: 12.5kW/7,500+/-500r/min

Max. torque: 17.6N.m/5,500+/- 500rpm

Max. loading capacity: 175kg

Starting system: electric

Tire size: F: 25 x 8-12, R: 25 x 10-12

Battery size: 12V/7Ah

Conveyance:

Qty/20' GP: 6pcs

Qty/40' HQ: 16pcs



EPA



MAINBON GROUP COMPANY LIMITED

Tel: +86 (21) 6515-0222/0333/0993/1039, Fax: +86 (21) 6515-0777
Add: 1212, 578 TianBao Road, ShangHai 200086 China

Catalog

Model: GK-800



Descriptions

796cc Go Kart with three cylinders, 4-stroke, water-cooled

Shaft drive and two rear wheels

Max speed 80km/h

Specifications

Model No: GK-800

Specification

Dry weight: 490kg

Exterior dimensions: 2,910 x 1,700 x 1,510mm

Wheel base: 2,260mm

Climbing ability: 55

Max. speed: 80km/h

Fuel capacity: 20L

Displacement: 796cc

Engine type: three cylinders, 4-stroke, water-cooled

Driving mode: shaft drive, two rear wheels

Max. power: 26.5kW/5,500r/min

Max. torque: 56N.m (2,500-3,000rpm)

Max. loading capacity: 175kg

Max.speed: 80km/h

Starting system: electric

Tire size: front: 25 x 8-12, rear: 25 x 10-12

Battery size: 12V/36Ah





MAINBON GROUP COMPANY LIMITED

Tel: +86 (21) 6515-0222/0333/0993/1039, Fax: +86 (21) 6515-0777
Add: 1212, 578 TianBao Road, ShangHai 200086 China

Catalog

Model: F1



Descriptions

Super Formula One 1:1
Race like the big leagues!
250cc, single cylinder, water-cooled, 4stroke
Drive with Alex
Double hydraulic disc brake
Gear shift mode: 3 front, 1 back
Electric Start

Specifications

Model No: F1
Engine Type: 250cc, single cylinder, water-cooled, 4stroke
Fuel Type: 90#
Fuel tank capacity: 17L
Ignition: CDI
Compress ratio: 10:1
Driving Mode: axle
Starting system: Electric Start
Tire (front/rear): 270/40-15/310/35-15
Break system: double hydraulic disc brake
Suspension: front/rear suspension
Rated power and rotate speed: 11kw/7000r/min
Max torque and totate speed: 17.6N.M/5000r/min
Gear shift mode: 3 front 1 back
Max speed: 75km/h
Max load: 90kgs
Length/width/height: 4000x1360x1470mm
Carton size: 3980x1620x1100mm
Weight: 463kgs
Quantity: 4pcs/20ft; 6pcs/40HQ



EPA



MAINBON GROUP COMPANY LIMITED

Tel: +86 (21) 6515-0222/0333/0993/1039, Fax: +86 (21) 6515-0777
Add: 1212, 578 TianBao Road, ShangHai 200086 China

Catalog

Model: F1-A



Descriptions

Mini Formula One 2:1
110cc, single cylinder, air-cooled, 4stroke
Drive with Chain
Double hydraulic disc brake
Gear shift mode: 3 front, 1 back
Electric Start

Specifications

Model No: F1-A (2:1)
Engine Type: 110cc, single cylinder, air-cooled, 4stroke
Fuel Type: 90#
Fuel tank capacity: 2.5L
Ignition: CDI
Compress ratio: 9.1:1
Driving Mode: chain
Starting system: Electric Start
Tire (front/rear): 160/50-6.185/45-6
Break system: double hydraulic disc brake
Suspension: front/rear suspension
Rated power and rotate speed: 5.0kw/7500r/min
Max torque and totate speed: 6.5N.M/6500r/min
Gear shift mode: 3 front 1 back
Max speed: 50km/h
Max load: 80kgs
Length/width/height: 2500x965x720mm
Carton size: 2620x1020x565mm
Weight: 200kgs
Quantity: 12pcs/20ft; 32pcs/40HQ



EPA



MAINBON GROUP COMPANY LIMITED

Tel: +86 (21) 6515-0222/0333/0993/1039, Fax: +86 (21) 6515-0777
Add: 1212, 578 TianBao Road, ShangHai 200086 China

Catalog

Model: GK-1100



Descriptions

1100cc Go Kart with three cylinders, 4-stroke,
water-cooled
Shaft drive and two rear wheels
Max speed 135km/h

Specifications

Model No: GK-1100

Specification

Dry weight: 490kg

Exterior dimensions: 2,910 x 1,500 x 750mm

Wheel base: 2,120mm

Climbing ability: <55'

Max. speed: 135km/h

Fuel capacity: 25L

Displacement: 1100cc

Engine type: three cylinders, 4-stroke, water-cooled

Driving mode: shaft drive, two rear wheels

Max. power: 38.5kW/5,500r/min

Max. torque: 83N.m (3000-3,500rpm)

Max. loading capacity: 175kg

Starting system: electric

Tire size: front: 25*8-12, rear: 25*10-12

Battery size: 12V/42Ah

Packing: Container 40HQ 16pcs





MAINBON GROUP COMPANY LIMITED

Tel: +86 (21) 6515-0222/0333/0993/1039, Fax: +86 (21) 6515-0777
Add: 1212, 578 TianBao Road, ShangHai 200086 China

Catalog

Model: GK-110-2



Descriptions

GK-110-2 (Teenager) with 1P52FMH, single cylinder
4-stroke engine

GK-125-2 (Teenager) with 125cc, 4-stroke engine

Front and rear disc brake

Specifications

MODEL GK-110-2

OVERALL SIZE(MM):1910*1260*1250

SEAT HIGHT(MM):330

NET WEIGHT/GROSS WEIGHT(KGS):160/180

MAX SPEED:40

ENGINE DISPLACEMENT:1P52FMH

ENGINE TYPE:Single Cylinder,4-Strokes

TRANSMISSION:Chain

STANDARD POWER(kW/rpm):5.3/8500

BRAKE SYSTEM(F/R)R/RDisc brake

TYPE SIZE(F/R):145/70-6/16*8-7

CONTAINER LOADING QTY:18/36/52





MAINBON GROUP COMPANY LIMITED

Tel: +86 (21) 6515-0222/0333/0993/1039, Fax: +86 (21) 6515-0777
Add: 1212, 578 TianBao Road, ShangHai 200086 China

Catalog

Model: GK-150-2A



Descriptions

GK-150-2A (Sahara) with 149.6cc, single cylinder 4-stroke engine

GK-250-2A (Sahara) with 172MM, 4-stroke engine

Front and rear disc brake

Specifications

MODEL GK-150-2A

OVERALL SIZE(MM)2330*1480*1480

SEAT HIGHT(MM):450

NET WEIGHT/GROSS WEIGHT(KGS):241/256

ENGINE DISPLACEMENT:149.6CC

ENGINE TYPE SINGLE CYLINDER,4-Stroke,air cool

TRANSMISSION:Chain/Auto

STANDARD POWER:6.0/7000 kW/rpm

BRAKE SYSTEM(F/R)FR/RR:Disc Brake

TYPE SIZE(F/R)21*7-10/22*11-10

CONTAINER LOADING QTY 20"Container:8Unils/40"

Container:18 Unils/40"highContainer:27Unils





MAINBON GROUP COMPANY LIMITED

Tel: +86 (21) 6515-0222/0333/0993/1039, Fax: +86 (21) 6515-0777
Add: 1212, 578 TianBao Road, ShangHai 200086 China

Catalog

Model: GK-250-6



Descriptions

GK-150-6 (Raptor) with 149.6cc, single cylinder 4-stroke engine

GK-250-6 (Raptor) with 172MM, 4-stroke engine

Front and rear disc brake

Specifications

MODEL GK-250-6

OVERALL SIZE(MM):2510*1480*1500

SEAT HIGHT(MM):450

NET WEIGHT/GROSS WEIGHT(KGS):371/385

ENGINE DISPLACEMENT172MM

ENGINE TYPE:Single Cylinder,4-Stroke

TRANSMISSION:Chain

STANDARD POWER9(kW/rpm)10.5/7000

BRAKE SYSTEM(F/R):Disc brake/Disc brake

TYPE SIZE(F/R)21*7-10/22*11-10

CONTAINER LOADING QTY:8/18/27





MAINBON GROUP COMPANY LIMITED

Tel: +86 (21) 6515-0222/0333/0993/1039, Fax: +86 (21) 6515-0777
Add: 1212, 578 TianBao Road, ShangHai 200086 China

Catalog

Model: GK-250-7



Descriptions

GK-150-7 (Raptor) with 149.6cc, single cylinder 4-stroke engine

GK-250-7 (Raptor) with 172MM, 4-stroke engine

Front and rear disc brake

Specifications

MODEL GK-250-7

OVERALL SIZE(MM):2670*1480*1500

SEAT HIGHT(MM):450

NET WEIGHT/GROSS WEIGHT(KGS):371/385

ENGINE DISPLACEMENT:172MM

ENGINE TYPE:Single Cylinder,4-Stroke

TRANSMISSION:Chain

STANDARD POWER9(kW/rpm)10.5/7000

BRAKE SYSTEM(F/R):Disc brake/Disc brake

TYPE SIZE(F/R)21*7-10/22*11-10

CONTAINER LOADING QTY:8/20/27





MAINBON GROUP COMPANY LIMITED

Tel: +86 (21) 6515-0222/0333/0993/1039, Fax: +86 (21) 6515-0777
Add: 1212, 578 TianBao Road, ShangHai 200086 China

Catalog

Model: GK-250-8



Descriptions

GK-150-8 (Jet Cart) with 149.6cc, single cylinder 4-stroke engine

GK-250-8 (Jet Cart) with 172MM, 4-stroke engine

Front and rear disc brake

Specifications

MODEL GK-250-8

OVERALL SIZE(MM):2510*1480*1500

SEAT HIGHT(MM):450

NET WEIGHT/GROSS WEIGHT(KGS):371/385

ENGINE DISPLACEMENT:172MM

ENGINE TYPE:Single Cylinder,4-Stroke

TRANSMISSION:Chain

STANDARD POWER9(kW/rpm)10.5/7000

BRAKE SYSTEM(F/R):Disc brake/Disc brake

TYPE SIZE(F/R)21*7-10/22*11-10

CONTAINER LOADING QTY:8/18/27





MAINBON GROUP COMPANY LIMITED

Tel: +86 (21) 6515-0222/0333/0993/1039, Fax: +86 (21) 6515-0777
Add: 1212, 578 TianBao Road, ShangHai 200086 China

Catalog

Model: GK-650-2



Descriptions

GK-650-2 Double seats, shaft transmission ,rear independent suspension

GK-800-2 Double seats, shaft transmission, 4 CYLINDER 4 STROKE

Specifications

MODEL GK-650-2

OVERALL SIZE(MM):2730*1700*1480

SEAT HIGHT(MM):280

NET WEIGHT/GROSS WEIGHT(KGS):490/550

ENGINE DISPLACEMENT:644cc

ENGINE TYPE:3-cylinder,4-Stroke,Liquid-cooled

TRANSMISSION:shaft

STANDARD POWER:17/4500kW/rpm

BRAKE SYSTEM(F/R):Disc Brake

TYPE SIZE(F/R):25*8/25*10-12

