




1212, 578 TIANBAO ROAD
SHANGHAI 200086
CHINA

Mainbon Group Company Limited

Pocket Bike Catalog 2008



Top Quality



+86 (21) 65150222/0333;



+86 (21) 65150777;



sales@exportscooter.com



1212, 578 TianBao Road, Shanghai 200086 China.



MAINBON GROUP COMPANY LIMITED

Tel: +86 (21) 6515-0222/0333/0993/1039, Fax: +86 (21) 6515-0777
Add: 1212, 578 TianBao Road, ShangHai 200086 China

Catalog

Model: GS-052



GS-052

Descriptions

49cc, 2stroke, 1-Cylinder
Pull-up
Chain driving
Stepless speed change
Front/Rear Disk brake

Specifications

Model No: GS-052

Dimension(mm): 920X440X515

G.W./N.W.(kg): 25/23

Tire(Front rear): 10X3.5"/10X3.5"

Engine Type: 1-Cylinder,2-Stroke

Displacement(C.C.): 49

Torque: 2.4n.m/8000rpm

Oil Type(Engine Oil Mixing): 1:25

Cooling Item: AIR

Starter system: PULL-UP

Revolving mode: chain driving

Transmission: Stepless speed change

Brake Device(Front/Rear): Disc/Disc

Tank Volume(L): 1

Max Speed(km/h): 60

Max Load(kg): 110

Color: Red/Blue/Black/Yellow

Carton Size(mm): 1050X320X570

20FT container:150pcs

40FT container:300pcs

40FT HQ container:360pcs

stickers for the bikes with different motives and designs are available.





MAINBON GROUP COMPANY LIMITED

Tel: +86 (21) 6515-0222/0333/0993/1039, Fax: +86 (21) 6515-0777
Add: 1212, 578 TianBao Road, ShangHai 200086 China

Catalog

Model: GS-052A



Descriptions

49cc, 2stroke, 1-Cylinder
Pull-up
Chain driving
Stepless speed change
Front/Rear Disk brake

Specifications

Model No: GS-052A

Dimension(mm): 920X440X515

G.W./N.W.(kg): 25/23

Tire(Front rear): 10X3.5"/10X3.5"

Engine Type: 1-Cylinder,2-Stroke

Displacement(C.C.): 49

Torque: 2.4n.m/8000rpm

Oil Type(Engine Oil Mixing): 1:25

Cooling Item: AIR

Starter system: PULL-UP

Revolving mode: chain driving

Transmission: Stepless speed change

Brake Device(Front/Rear): Disc/Disc

Tank Volume(L): 1

Max Speed(km/h): 60

Max Load(kg): 110

Color: Red/Blue/Black/Yellow

Carton Size(mm): 1050X320X570

20FT container:150pcs

40FT container:300pcs

40FT HQ container:360pcs

stickers for the bikes with different motives and designs are available.





MAINBON GROUP COMPANY LIMITED

Tel: +86 (21) 6515-0222/0333/0993/1039, Fax: +86 (21) 6515-0777
Add: 1212, 578 TianBao Road, ShangHai 200086 China

Catalog

Model: GS-052B



Descriptions

40cc, Water Cooled
Pull Start
Manual disc Brake
Max speed: 95km/h
with all aluminum frame

Specifications

Model No: GS-052B

Engine: 40cc, water cooled, single cylinder, 2stroke

Fuel type: petrol, 1:25 engine oil mixing

Fuel tank capacity: 1.8L

Compress ratio: 16.5:1

Driving mode: chain

Starting system: pull start

Tire (front/rear): 90/65-6.5, 110/50-6.5

Brake system (front/rear): disc brake (manual)

Rated power and rotate speed: 4.5kw/15000rpm

Max torque and rotate speed: 4N.M/10000rpm

Max speed: 95km/h

Max loaded: 110kgs

Dimension (LxWxH): 960x500x630mm

G.W./N.W: 27/24kgs

Carton size: 1010x290x665mm

Quantity: 155pcs/20ft, 345pcs/40HQ





MAINBON GROUP COMPANY LIMITED

Tel: +86 (21) 6515-0222/0333/0993/1039, Fax: +86 (21) 6515-0777
Add: 1212, 578 TianBao Road, ShangHai 200086 China

Catalog

Model: GS-052C



Descriptions

40cc, Water Cooled

Pull Start

Manual disc Brake

With Aluminum Muffler and aluminium rear fork

Specifications

Model No: GS-052C

Engine: 40cc, water cooled, single cylinder, 2stroke

Fuel type: petrol, 1:25 engine oil mixing

Fuel tank capacity: 1.8L

Compress ratio: 8:1

Driving mode: chain

Starting system: pull start

Tire (front/rear): 90/65-6.5, 110/50-6.5

Brake system (front/rear): disc brake (manual)

Rated power and rotate speed: 2.2kw/6500rpm

Max torque and rotate speed: 3.0N.M/5500rpm

Max speed: 65km/h

Max loaded: 110kgs

Dimension (LxWxH): 960x900x630mm

G.W./N.W: 25/22kgs

Carton size: 1010x290x765mm

Quantity: 145pcs/20ft, 345pcs/40HQ





MAINBON GROUP COMPANY LIMITED

Tel: +86 (21) 6515-0222/0333/0993/1039, Fax: +86 (21) 6515-0777
Add: 1212, 578 TianBao Road, ShangHai 200086 China

Catalog

Model: GS-052D



Descriptions

- 40cc, Water Cooled
- Pull Start
- Manual disc Brake
- With Direction Tranquilization Set

Specifications

Model No: GS-052D

Engine: 40cc, water cooled, single cylinder, 2stroke

Fuel type: petrol, 1:25 engine oil mixing

Fuel tank capacity: 1.8L

Compress ratio: 8:1

Driving mode: chain

Starting system: pull start

Tire (front/rear): 90/65-6.5, 110/50-6.5

Brake system (front/rear): disc brake (manual)

Rated power and rotate speed: 4.5kw/12000rpm

Max torque and rotate speed: 5.0N.M/9000rpm

Max speed: 65km/h

Max loaded: 110kgs

Dimension (LxWxH): 960x900x630mm

G.W./N.W: 25/22kgs

Carton size: 1100x380x640mm

Quantity: 110pcs/20ft, 345pcs/40HQ





MAINBON GROUP COMPANY LIMITED

Tel: +86 (21) 6515-0222/0333/0993/1039, Fax: +86 (21) 6515-0777
Add: 1212, 578 TianBao Road, ShangHai 200086 China

Catalog

Model: GS-052E



Descriptions

39cc Water Cooled
With Direction tranquilization set
Front/Rear: disc brake (manual)
Pull Start

Specifications

Model No: GS-052E

Engine: 39cc, water cooled, single cylinder, 2stroke

Fuel type: petrol, 1:25 engine oil mixing

Fuel tank capacity: 1.8L

Compress ratio: 16.5:1

Driving mode: chain

Starting system: pull start

Tire (front/rear): 90/65-6.5, 110/50-6.5

Brake system (front/rear): disc brake (manual)

Rated power and rotate speed: 4.5kw/12000rpm

Max torque and rotate speed: 4N.M/9000rpm

Max speed: 95km/h

Max loaded: 110kgs

Dimension (LxWxH): 960x500x630mm

G.W./N.W: 27/24kgs

Carton size: 1010x290x665mm

Quantity: 155pcs/20ft, 345pcs/40HQ





MAINBON GROUP COMPANY LIMITED

Tel: +86 (21) 6515-0222/0333/0993/1039, Fax: +86 (21) 6515-0777
Add: 1212, 578 TianBao Road, ShangHai 200086 China

Catalog

Model: GS-052F



Descriptions

40cc, Water Cooled

Pull Start

Manual disc Brake

Can be done with aluminum or steel

Specifications

Model No: GS-052F

Engine: 40cc, water cooled, single cylinder, 2stroke

Fuel type: petrol, 1:25 engine oil mixing

Fuel tank capacity: 1.5L

Driving mode: chain

Brake system (front/rear): disc brake

Rated power and rotate speed: 5kw/12000rpm

Max torque and rotate speed: 6N.M/9000rpm

Max speed: 80km/h

Max loaded: 150kgs

G.W./N.W: 29.5/27kgs

Carton size: 1100x380x600mm

Quantity: 110pcs/20ft, 265pcs/40HQ



EPA



MAINBON GROUP COMPANY LIMITED

Tel: +86 (21) 6515-0222/0333/0993/1039, Fax: +86 (21) 6515-0777
Add: 1212, 578 TianBao Road, ShangHai 200086 China

Catalog

Model: GS-052G



Descriptions

49cc, Water Cooled, single cylinder, 2stroke

Pull Start

Manual disc Brake

Specifications

Model No: GS-052G

Engine: 49cc, water cooled, single cylinder, 2stroke

Fuel type: petrol, 1:25 engine oil mixing

Fuel tank capacity: 1.5L

Driving mode: chain

Starting system: pull start

Wheel: 13

Brake system (front/rear): disc brake

Rated power and rotate speed: 5kw/12000rpm

Max torque and rotate speed: 6N.M/9000rpm

Max speed: 95km/h

Max loaded: 150kgs

G.W./N.W: 29.5/27kgs

Carton size: 1100x380x600mm

Quantity: 110pcs/20ft, 265pcs/40HQ





MAINBON GROUP COMPANY LIMITED

Tel: +86 (21) 6515-0222/0333/0993/1039, Fax: +86 (21) 6515-0777
Add: 1212, 578 TianBao Road, ShangHai 200086 China

Catalog

Model: GS-052H



Descriptions

40cc, Water Cooled, single cylinder, 2stroke
Pull Start
Manual disc Brake

Specifications

Model No: GS-052H

Engine: 40cc, water cooled, single cylinder, 2stroke

Fuel type: petrol, 1:25 engine oil mixing

Fuel tank capacity: 1.5L

Driving mode: chain

Starting system: pull start

Wheel: 13 tubeless

Brake system (front/rear): disc brake

Max speed: >80km/h

G.W./N.W: 24.5/21.5kgs

Carton size: 1100x360x570mm

Quantity: 140pcs/20ft, 320pcs/40HQ



EPA



MAINBON GROUP COMPANY LIMITED

Tel: +86 (21) 6515-0222/0333/0993/1039, Fax: +86 (21) 6515-0777
Add: 1212, 578 TianBao Road, ShangHai 200086 China

Catalog

Model: GS-063



Descriptions

50cc, 2stroke, single cylinder, air-cooling
70cc, 90cc, 110cc are available
Electric & Manual start
F&R disc brake
CVT available, single muffler

Specifications

Model No: GS-063

Engine: single cylinder, air-cooling, 2 stroke

Max speed: 55km/h

Rated load: 90Kg

Fuel tank: 1.7L

Economic oil wastage: 2.2L/100km

Net weight: 45Kg

Battery: 12V 7Ah

Carton size: 137X45X88cm

Tire size: front : 90/65-10 (15)

Rear: 145/50-10 (15.5)

Start way: electric & manual start

Brake: disc brake (F&R)

Output: 49cc

Power: 1.42KW

Sprocket: 18/48 core distance: 8

CVT available, Single muffler

New Mode:

GS-063A:Engine: 50cc 4 stroke

GS-063B:Engine: 70cc 4 stroke

GS-063C:Engine: 90cc 4 stroke

GS-063D:Engine: 110cc 4 stroke





MAINBON GROUP COMPANY LIMITED

Tel: +86 (21) 6515-0222/0333/0993/1039, Fax: +86 (21) 6515-0777
Add: 1212, 578 TianBao Road, ShangHai 200086 China

Catalog

Model: GS-064



Descriptions

50cc, 2stroke, single cylinder, air-cooling
70cc, 90cc, 110cc are available
Electric & Manual start
F&R disc brake
CVT available, single muffler

Specifications

Model No: GS-064

Max speed: 55km/h

Rated load: 90Kg

Fuel tank: 1.7L

Economic oil wastage: 2.2L/100km

Net weight: 45Kg

Battery: 12V 7Ah

Carton size: 137X45X88cm

Tire size: front : 90/65-10 (15)

Rear: 145/50-10 (15.5)

Start way: electric & manual start

Brake: disc brake (F&R)

Output: 49cc

Power: 1.42KW

Sprocket: 18/48 core distance: 8

Engine: single cylinder, air-cooling, 2 stroke

CVT available, Single muffler

New Mode:

GS-064A:Engine: 50cc 4 stroke

GS-064B:Engine: 70cc 4 stroke

GS-064C:Engine: 90cc 4 stroke

GS-064D:Engine: 110cc 4 stroke





MAINBON GROUP COMPANY LIMITED

Tel: +86 (21) 6515-0222/0333/0993/1039, Fax: +86 (21) 6515-0777
Add: 1212, 578 TianBao Road, ShangHai 200086 China

Catalog

Model: GS-083



Descriptions

- EPA approved
- 110cc 4stroke, CDI, air cooled
- Electric start
- F&R disc brake
- Hydraulic front suspension

Specifications

Model GS-083

- 1) Engine: 110cc 4-stroke, CDI, air cooled
- 2) Product size: 1400 x 620 x 820mm
- 3) Start: electric start
- 4) Brake: front and rear disc brake
- 5) Suspension: hydraulic front suspension
- 6) Front tire: 100/50-12
- 7) Rear tire: 130/50-10
- 8) Drive: chain
- 9) Battery: 7AH/12V
- 10) N.W: 66kgs
- 11) Loading: 100kgs
- 12) Carton Meas: 1400 x 450 x 900mm
- 13) 20'FT: 60pcs
- 14) 40'HQ: 135pcs



EPA



MAINBON GROUP COMPANY LIMITED

Tel: +86 (21) 6515-0222/0333/0993/1039, Fax: +86 (21) 6515-0777
Add: 1212, 578 TianBao Road, ShangHai 200086 China

Catalog

Model: GS-084



Descriptions

single-cylinder, 4stroke, air cooled
50/70/110cc
CDI system
Electric start
Front disc brake, Rear drum brake

Specifications

Model GS-084

Engine: single-cylinder, 4-stroke, air-cooled

Dimensions: 1340 X 600 X 770mm

Displacement: 50 / 70 / 110CC

Fire mode: CDI system

Starting system: electric/kick

Transmission system: chain transmission

Brake system: front disc brake, rear drum brake

Diameter of wheel: 13" for front wheel, 14" for rear wheel

Fuel tank capacity: 1.8L

Fuel consumption: 1.4l/per hundred kilometers

Max load capacity: 300 pounds

Max speed: 30-65km/h

Battery: 12V / 9Ah

Shaft gap distance: 960mm

Weight: 68/65kg

Carton dimensions: 141 X 42.5 X 78cm

FCL quantity: 63pcs/20'GP, 132pcs/40'GP



EPA