




1212, 578 TIANBAO ROAD
SHANGHAI 200086
CHINA

Mainbon Group Company Limited

Dirt Bike Catalog 2008



Top Quality



+86 (21) 65150222/0333;



+86 (21) 65150777;



sales@exportscooter.com



1212, 578 TianBao Road, Shanghai 200086 China.



MAINBON GROUP COMPANY LIMITED

Tel: +86 (21) 6515-0222/0333/0993/1039, Fax: +86 (21) 6515-0777
Add: 1212, 578 TianBao Road, ShangHai 200086 China

Catalog

Model: GS-044



Descriptions

Engine: 49cc, single cylinder, air-cooling, 2 stroke

Start way: electric & manual start

Brake: R/R disc brake

CVT available, Single muffler

Specifications

Model No: GS-044

Product dimensions: 1280 x 625 x 854mm

Rated load: 90kg

Max speed: 35km/h-45km/h

Fuel tank: 1.7L

Wheel: 14"

Engine: 49cc, single cylinder, air-cooling, 2 stroke

Start way: electric & manual start

Brake: R&F disc brake

Battery: 12V, 7Ah

Carton dimensions: 1345 x 445 x 890mm

Container: 136ctns/40'HQ

Rated load: 90Kg

CVT available, Single muffler





MAINBON GROUP COMPANY LIMITED

Tel: +86 (21) 6515-0222/0333/0993/1039, Fax: +86 (21) 6515-0777
Add: 1212, 578 TianBao Road, ShangHai 200086 China

Catalog

Model: GS-067



Descriptions

4stroke Mini Dirt Bike
Air-cooled, single-cylinder
Kick/electric start
Front & Rear Disc Brake
Automatic

Specifications

Item NO: GS-067

Specifications:

- 1) Dimensions: 1,830 x 780 x 1,010mm
- 2) Wheelbase: 1,235mm
- 3) Ground clearance: 305mm
- 4) Deadhead mass: 105kg
- 5) Maximum power: 6.0kW/8,000rpm
- 6) Maximum speed: 75km/h
- 7) Economic fuel consumption (1/100km): 2.1
- 8) Tire specifications:
 - a) Front: AT90/90-16
 - b) Rear: AT120/80-16
- 9) Brakes:
 - a) Front: disc
 - b) Rear: disc
- 10) Engine type: single-cylinder, 4-stroke, air-cooled
- 11) Displacement (ml): 107.00
- 12) Start mode: kick start/electric start
- 13) Clutch type: oil bath multi-plate
- 14) Lubrication: press/splash
- 15) Fuel capacity: 5.6L
- 16) Gearshift mode: automatic

Packing:

Carton dimensions: 1,780 x 820 x 950mm





MAINBON GROUP COMPANY LIMITED

Tel: +86 (21) 6515-0222/0333/0993/1039, Fax: +86 (21) 6515-0777
Add: 1212, 578 TianBao Road, ShangHai 200086 China

Catalog

Model: GS-069



Descriptions

Engine: 49cc, 2strokes, air cooling

Brake: F/R disc brake

China driving

Specifications

- 1) Item NO. GS-069
- 2) Displacement: 49cc
- 3) Tire: 10 inches (tubeless)
- 4) G.W./N.W.: 21/19kg
- 5) Tank capacity: 1L
- 6) Oil type: petrol, 1 : 25 engine oil mixing
- 7) Load: > 110kg
- 8) Brakes:
- 9) Front: disc brakes
- 10) Rear: disc brakes
- 11) Speed: >55km/h
- 12) Revolving mode: chain driving
- 13) Torque: 2.4n.m/8000rpm
- 14) Engine: two strokes
- 15) Starter: handle power
- 16) Cool mode: air cooling
- 17) User age: >14 years old

Packing: 1pc/ctn

Carton dimensions: 101 x 28 x 58cm

Container:

Qty/20'FCL: 180pcs

Qty/40'HQ: 420pcs



EPA



MAINBON GROUP COMPANY LIMITED

Tel: +86 (21) 6515-0222/0333/0993/1039, Fax: +86 (21) 6515-0777
Add: 1212, 578 TianBao Road, ShangHai 200086 China

Catalog

Model: GS-080



Descriptions

Engine: 47cc, single cylinder, air-cooling, 2 stroke

Start way: pull start

Brake: R/R disc brake

Front suspension system; telescoping fork

Specifications

Model No: GS-080

Goal consumer: 14 years old

Available Color: red, yellow, blue, green, silver, purple, black, pink

Tire: 12x2.75 inches

G.W.: 24kg

N.W.: 22kg

Oil tank capacity: 1L

Oil type: petrol 25:1 engine oil mixing

Run distance: 20km

Load: 75KGS

Engine: single cylinder, 2 strokes, air-cooled

Motor Power: 47cc

Front brake: disc

Rear brake: disc

Front suspension system: telescoping fork

Rear suspension: mono shock

Evolving mode: chain driving

Starting system: pull start

Max. Speed: 65km/h



EPA



MAINBON GROUP COMPANY LIMITED

Tel: +86 (21) 6515-0222/0333/0993/1039, Fax: +86 (21) 6515-0777
Add: 1212, 578 TianBao Road, ShangHai 200086 China

Catalog

Model: GS-080A



Descriptions

2stroke,Air-cooled, single-cylinder
Hand start
Front & Rear Disc Brake

Specifications

Model No: GS-080A

1) Max. Load capacity: 95kg

2) Max. Speed: 55km/h

3) Dimensions: 116 x 29 x 69cm

4) Engine type: single-cylinder, 2-stroke, air cooled

5) Displacement: 49ml

6) Compression ratio: 8.3:1

7) Rated power and rotation speed: 2KW/7000rpm

8) Max. torque and rotation speed: 2.5N.m/5000rpm

9) Fuel: #90-97 gasoline + 2 cycle engine oil (JASO FC Class) 25:1 mixture

10) Climbing ability: > 10 degrees

11) Starting system: hand start

12) Brake mode: front/rear disc brakes

13) F/R wheel: 12 x 2.75

14) Wheelbase: 755mm

15) Seat height: 540mm

16) Min. ground clearance: 170mm

Outer packing: N.W.: 25kg G.W.: 30kg

Container Loads: 20'FCL: 148pcs 40'HQ: 350pcs



EPA



MAINBON GROUP COMPANY LIMITED

Tel: +86 (21) 6515-0222/0333/0993/1039, Fax: +86 (21) 6515-0777
Add: 1212, 578 TianBao Road, ShangHai 200086 China

Catalog

Model: GS-085

Mini Motor: GS-085



Descriptions

Newest Mini Motor
110cc, 4 stroke, air-cooled
Front & Rear disc brake
Electric/kick start
Max speed: 60km/h

Available color

Specifications

Model No: GS-085

Max speed: 60km/h

Rated load: 90kgs

Fuel capacity: 1.8L

N/G weight: 66/78kgs

Battery: 12V, 5Ah

Carton size: 1380x460x760mm

Tire size: Fr: 80/75-11 Re: 160/40-10

Starter: Electric/kick

Brakes: Front disc brake, rear disk brake

Engine: 110cc, 4stroke, air-cooled

Container: 120cps/40GP



EPA



MAINBON GROUP COMPANY LIMITED

Tel: +86 (21) 6515-0222/0333/0993/1039, Fax: +86 (21) 6515-0777
Add: 1212, 578 TianBao Road, ShangHai 200086 China

Catalog

Model: GS-086

Mini Motor: GS-086



Available color

Descriptions

Newest Mini Motor
110cc, 4 stroke, air-cooled
Front & Rear disc brake
Electric/kick start
Max speed: 75km/h

Specifications

Model No: GS-086

Max speed: 75km/h

Rated load: 90kgs

Fuel capacity: 1.8L

N/G weight: 65/77kgs

Battery: 12V, 5Ah

Carton size: 1330x460x760mm

Tire size: Fr: 90/65-10 Re: 145/50-10

Starter: Electric/kick

Brakes: Front disc brake, rear disk brake

Engine: 110cc, 4stroke, air-cooled

Container: 132cps/40GP



EPA



MAINBON GROUP COMPANY LIMITED

Tel: +86 (21) 6515-0222/0333/0993/1039, Fax: +86 (21) 6515-0777
Add: 1212, 578 TianBao Road, ShangHai 200086 China

Catalog

Model: GS-087



Descriptions

Newest Mini Motor
110cc, 4stroke, single cylinder, air-cooled
Kick or electric start
With CDI
Hydraulic disc brake

Specifications

Model No: GS-087

Engine type: 110cc, single cylinder air-cooled, 4stroke

Fuel type: above 90# gasoline

Fuel tank capacity: 2.5L

Displacement: 107ml

Driving mode: chain

Power (kw/r/min): 4.5kw/7500 (r/min)

Max.torque(N.m/r/min): 6.5N.m/5000(r/min)

Starting system: kick start or electric start

Ignition type: CDI

Max.speed (k/h): 70km/h

Brake type (front/rear): hydraulic disk brake

Tire size (front/rear): 130/50-10NHS/130/50-10NHS

Wheelbase (mm): 1785

Distance (front/rear wheel):1150mm

Max load: 80kgs

Size: 1530x660x810mm

Carton: 1400x400x810mm

N.W./G.W.: 75kgs/85kgs

Quantity: 48pcs/20ft, 100pcs/40ft, 123pcs/40HQ



EPA



MAINBON GROUP COMPANY LIMITED

Tel: +86 (21) 6515-0222/0333/0993/1039, Fax: +86 (21) 6515-0777
Add: 1212, 578 TianBao Road, ShangHai 200086 China

Catalog

Model: GS50MB



Descriptions

49cc, Water Cooled

Disc/hydraulic disc brake

Front/Rear suspension

Specifications

Model No: GS50MB

Engine: 49cc, single cylinder, water-cooled, 2stroke

Oil type: petrol, 1:25 engine oil mixing

Tank capacity: 1.3L

Driving mode: chain

Start system: pull start

Tires (front/rear): disc/hydraulic disc brake

Suspension: front/rear suspension

Rated power and rotate speed: 8km/14000rpm

Max torque and rotate speed: 7n.m/11000rpm

Max speed: 65km/h

Max loaded: 110kgs

Dimension (LxWxH): 1260*680*830mm

G.W. /N.W: 43/40kgs

Carton size: 1330x380x760mm

Quantity: 75pcs/20ft, 162pcs/40t, 162pcs/40HQ



EPA



MAINBON GROUP COMPANY LIMITED

Tel: +86 (21) 6515-0222/0333/0993/1039, Fax: +86 (21) 6515-0777
Add: 1212, 578 TianBao Road, ShangHai 200086 China

Catalog

Model: GS50MB-A



Descriptions

49cc, air Cooled
Pull start
Automatic
Telescopic fork/mono shock

Specifications

Model No: GS50MB-A

Engine: 49cc, single cylinder air-cooled, 2stroke

Oil type: petrol, 1:25 engine oil mixing

Rated power and rotate speed: 2.2kw/7000rpm

Max torque and rotate speed: 3.0n.m /5500rpm

Fuel tank capacity: 1L

Driving mode: chain

Starting system: pull start

Gearshift mode: automatic

Tire (front/rear): 12x2.75 /12x2.75

Brake system: disc brake

Suspension (front/rear): telescopic fork/mono shock

Min ground clearance: 170mm

Wheelbase: 725mm

Seat height: 540mm

Max speed: 50km/h

Max loaded: 100kgs

Carton size: 1210x280x700mm

G.W. /N.W.: 22/24kgs

Quantity: 148pcs/20ft, 253pcs/40ft, 280pcs/40HQ



EPA



MAINBON GROUP COMPANY LIMITED

Tel: +86 (21) 6515-0222/0333/0993/1039, Fax: +86 (21) 6515-0777
Add: 1212, 578 TianBao Road, ShangHai 200086 China

Catalog

Model: GS110MB



GS110MB

Descriptions

Engine: 110cc, air-cooled, 4stroke, single cylinder

Brake: F/R hydraulic disk brake

Suspension: Front hydraulic absorber and rear suspension

Manual clutch

Kick start

Specifications

Item No: GS110MB

Engine: 110cc, air-cooled, single cylinder, 4 strokes

Brake: F/R hydraulic disk brake

Suspension: front hydraulic absorber and rear suspension

Front Tire: 2.5-14

Rear Tire: 3.00-12

Top Speed: 65km/h

Start Mode: kick start

Clutch Mode: manual clutch

Tank capacity: 4.2L

Max. Load: 70kgs

Carton Dimension: 1,380*390*630(mm)

N.W.: 56kgs

G.W.: 68kgs

Conveyance:

QTY/40 HQ: 196pcs



EPA



MAINBON GROUP COMPANY LIMITED

Tel: +86 (21) 6515-0222/0333/0993/1039, Fax: +86 (21) 6515-0777
Add: 1212, 578 TianBao Road, ShangHai 200086 China

Catalog

Model: GS120MB



GS120MB

Descriptions

Engine: 120cc, air-cooled, 4stroke, single cylinder
Brake: F/R hydraulic disk brake
Suspension: w/best quality front upside down fork and rear hydraulic suspension
Aluminum wheel
Manual clutch
Kick start

Specifications

Item No: GS120MB

Engine: 120cc, air-cooled, single cylinder, 4 strokes

Brake: F/R hydraulic disk brake

Suspension: w/best quality front upside down fork and rear hydraulic suspension
wheel aluminum,

tank cover aluminum

Front Tire: 2.5-14

Rear Tire: 3.00-12

Top Speed: 65km/h

Start Mode: kick start

Clutch Mode: manual clutch

Tank capacity: 2.7L

Max. Load: 80kgs

Carton Dimension: 1,420*480*750(mm)

N.W.: 60kgs

G.W.: 72kgs

Conveyance:

QTY/40 HQ: 140pcs



EPA



MAINBON GROUP COMPANY LIMITED

Tel: +86 (21) 6515-0222/0333/0993/1039, Fax: +86 (21) 6515-0777
Add: 1212, 578 TianBao Road, ShangHai 200086 China

Catalog

Model: GS125MB



Descriptions

Engine: 125cc, air-cooled, 4stroke, single cylinder
Brake: F/R hydraulic disk brake
Suspension: front upside down fork and rear hydraulic suspension
W/Aluminum rear fork, aluminum wheel rims, aluminum engine plate
Manual Clutch
kick start

Specifications

Item No: GS125MB

Engine: 125cc, air-cooled, single cylinder, 4 strokes

Brake: F/R hydraulic disk brake

Suspension: front upside down fork and rear hydraulic suspension

W/Aluminum rear fork, aluminum wheel rims, aluminum engine plate

Front Tire: 2.5-14

Rear Tire: 3.00-12

Top Speed: 65km/h

Start Mode: kick start

Clutch Mode: manual clutch

Tank capacity: 4.2L

Max. Load: 70kgs

Carton Dimension: 1,380*390*630(mm)

N.W.: 55kgs

G.W.: 67kgs

Conveyance:

QTY/40 HQ: 196pcs





MAINBON GROUP COMPANY LIMITED

Tel: +86 (21) 6515-0222/0333/0993/1039, Fax: +86 (21) 6515-0777
Add: 1212, 578 TianBao Road, ShangHai 200086 China

Catalog

Model: GS125MB-A



Descriptions

Engine: 125cc, air-cooled, 4stroke, single cylinder
Brake: F/R hydraulic disk brake
Suspension: front upside down fork and rear suspension
Aluminum frame and rear fork, Aluminum handlebar,
Aluminum engine bottom plate
Manual Clutch
kick start

Specifications

Item No: GS125MB-A
Engine : 125cc, 4 strokes, single cylinder, air-cooled
Brake system (F/R): Hydraulic pressure disc brake
Front tire / rear tire: 2.5 -14' / 3.0-12
Aluminum frame and rear fork
Aluminum rims and hubs
Aluminum handlebar
Aluminum engine bottom plate
Aluminum fuel tank cap
Tank capacity: 4.2L
Max. Load capacity: 80kgs
Min. ground clearance : 240mm
Suspension: front upside down fork and rear suspension
Start Mode: kick start
Clutch Mode: manual clutch
Carton dimensions: 1,400 x 360 x 640mm
Qty/20' FCL: 87pcs
Qty/40' HQ: 186pcs



EPA



MAINBON GROUP COMPANY LIMITED

Tel: +86 (21) 6515-0222/0333/0993/1039, Fax: +86 (21) 6515-0777
Add: 1212, 578 TianBao Road, ShangHai 200086 China

Catalog

Model: GS125MB-B



GS125MB-B

Descriptions

Engine: 125cc, air-cooled, 4stroke, single cylinder
Brake: F/R hydraulic pressure disk brake
Suspension: front hydraulic absorber and rear suspension
Aluminum frame and rear fork, Aluminum handlebar,
Aluminum engine bottom plate
Manual Clutch
kick start

Specifications

Item No: GS125MB-B
Engine : 125cc, 4 strokes, single cylinder, air-cooled
Brake system (F/R): Hydraulic pressure disc brake
Front tire / rear tire: 2.5 -14' / 3.0-12
Aluminum frame and rear fork
Aluminum rims and hubs
Aluminum handlebar
Aluminum engine bottom plate
Aluminum fuel tank cap
Tank capacity: 4.2L
Max. Load capacity: 80kgs
Min. ground clearance : 240mm
Suspension: front hydraulic absorber and rear suspension
Start Mode: kick start
Clutch Mode: manual clutch
Carton dimensions: 1,400 x 360 x 640mm
Qty/20' FCL: 87pcs
Qty/40' HQ: 186pcs



EPA



MAINBON GROUP COMPANY LIMITED

Tel: +86 (21) 6515-0222/0333/0993/1039, Fax: +86 (21) 6515-0777
Add: 1212, 578 TianBao Road, ShangHai 200086 China

Catalog

Model: GS125MB-C



Descriptions

Engine: 125cc, air-cooled, 4stroke, single cylinder

Brake: F/R hydraulic disk brake

kick start

Specifications

Item No: GS125MB-C

Engine Type: 125cc, 4-stroke, single cylinder, air-cooled

Start: Kick Start

Tank capacity: 3.7L

Tire Size(F/R): 14"/12"

Transmission: Chain

Brake (F/R): Hydraulic disc brake

Max load: 120kg

Max speed: 85km/h

G.W/N.W: 75kg/62kg

Carton Size: 1480x430x720mm

Container (20"ft/40"ft/40HQ):

60pcs/120pcs/142pcs



EPA



MAINBON GROUP COMPANY LIMITED

Tel: +86 (21) 6515-0222/0333/0993/1039, Fax: +86 (21) 6515-0777
Add: 1212, 578 TianBao Road, ShangHai 200086 China

Catalog

Model: GS200MB



Descriptions

200cc, 4-stroke, single cylinder, forced air-cooled
5 speed
Disk brake
Manual clutch

Specifications

Item No: GS200MB

1) single cylinder, 4 stroke, forced air-cooling 200CC

2) Displacement: 145ml / 194ml

3) Wheelbase: 1,301mm

4) Ground clearance: 240mm

5) Dry mass: 94kg

6) Economic fuel consumption: 2.2

7) Gear: 5 speed

8) Max. speed: 130

9) Ignition: CDI

10) Drive mode: chain

11) Max. load: 150kg

12) Clutch: manual clutch

13) Front tire: 70/100-19

14) Rear tire: 90/100-16

15) Chassis: disc

16) Lubricate mode: pressure and splash

17) Start mode: electric start and foot start

18) Clutch: wet shoe, multi-plate ,

19) Dimensions: 1,950 x 770 x 1,120mm

20) Conveyance: Qty/20' FCL: 32pcs Qty/40' FCL: 105pcs



EPA



MAINBON GROUP COMPANY LIMITED

Tel: +86 (21) 6515-0222/0333/0993/1039, Fax: +86 (21) 6515-0777
Add: 1212, 578 TianBao Road, ShangHai 200086 China

Catalog

Model: GS250MB



Descriptions

Engine: 250cc, air-cooled, 4stroke, single cylinder

Brake: disk brake

Electric/kick start

Manual clutch

Specifications

Item No: GS250MB

1) single cylinder, 4 stroke, forced air-cooling 250CC

2) Displacement: 145ml / 194ml

3) Wheelbase: 1,301mm

4) Ground clearance: 240mm

5) Dry mass: 94kg

6) Economic fuel consumption: 2.2

7) Gear: 5 speed

8) Max. speed: 130

9) Ignition: CDI

10) Drive mode: chain

11) Max. load: 150kg

12) Clutch: manual clutch

13) Front tire: 70/100-19

14) Rear tire: 90/100-16

15) Chassis: disc

16) Lubricate mode: pressure and splash

17) Start mode: electric start and foot start

18) Clutch: wet shoe, multi-plate ,

19) Dimensions: 1,950 x 770 x 1,120mm

20) Conveyance: Qty/20' FCL: 32pcs Qty/40' FCL: 105pcs



EPA