




1212, 578 TIANBAO ROAD
SHANGHAI 200086
CHINA

Mainbon Group Company Limited

50cc Mini ATV Catalog 2008



Top Quality



+86 (21) 65150222/0333;



+86 (21) 65150777;



sales@exportscooter.com



1212, 578 TianBao Road, Shanghai 200086 China.



MAINBON GROUP COMPANY LIMITED

Tel: +86 (21) 6515-0222/0333/0993/1039, Fax: +86 (21) 6515-0777
Add: 1212, 578 TianBao Road, ShangHai 200086 China

Catalog

Model: GS-094



Descriptions

Mini Quad with 47CC single cylinder, air -cooled, 2 stroke engine

Max Speed 45km/h

Rear disc brake and Chain drive

Specifications

Item No: GS-094

1)Engine type: 47CC single cylinder, air -cooled, 2 stroke

2)Start way: Pull start

3)Fuel: Unleaded gasoline + 2 cycle engine oil

4)Proportion of gas: 25:1

5)Fuel Capacity:1.2 L

6)Max Speed: 45km/h depend on condition

6)Drive: Chain drive

7)Weight capacity: 220lbs

8)Size of the front and rear tires:3.00-4

9)Brake: rear disc brake

10)Product Size:940x560x620mm

11)Seat height:430mm

12)Carton size: 985x460x520cm

13) G.W./N.W.: 33kg/29kg

Packing information:

Container(20/40/40'HQ): 120pcs/240pcs/296pcs

Pack Steel Frame+ Carton



EPA



MAINBON GROUP COMPANY LIMITED

Tel: +86 (21) 6515-0222/0333/0993/1039, Fax: +86 (21) 6515-0777
Add: 1212, 578 TianBao Road, ShangHai 200086 China

Catalog

Model: GS-095



Descriptions

Mini Quad with 47CC single cylinder, air
-cooled, 2 stroke engine
Max Speed 40km/h
Rear disc brake
Chain drivechain drive through automatic
clutch

Specifications

Item No: GS-095

Features:

- 1) Dimensions: 1,000mm(L) x 590mm(W) x 630(H)
- 2) Engine: 49cc, 47cc, single cylinder, two-stroke, air cooled
- 3) Max. Power: 2.5KW/8,700rpm
- 4) Max. Torque: 3.2 N.m/8,000rpm
- 5) Compression ratio: 7.6:1
- 6) Ignition mode: contactless
- 7) Tire:
 - a) Front: 3.00 - 4
 - b) Rear: 3.00 - 4
- 8) Wheel rims:
 - a) Light alloy
 - b) Front: 4" - 51
 - c) Rear: 4" - 95
- 9) Tank capacity: 1L
- 10) Fuel / oil unleaded petrol: 25:12-stroke engine oil mixing
- 11) Brake: rear disc brake
- 12) Max. load: 95kg
- 13) Max. speed: 40km/h
- 14) Transmission system: chain drive through automatic clutch
- 15) Starting system: manual hand pull (alloy pull starter shell)
- 16) Color available: red, blue, yellow, black, green, orange...

Conveyance:

Qty/20 FCL: 80pcs

Qty/40 FCL: 160pcs



EPA



MAINBON GROUP COMPANY LIMITED

Tel: +86 (21) 6515-0222/0333/0993/1039, Fax: +86 (21) 6515-0777
Add: 1212, 578 TianBao Road, ShangHai 200086 China

Catalog

Model: GS-095B



Descriptions

Mini Quad with 49CC single cylinder, air -cooled, 2 stroke engine

Max Speed 45km/h

Rear disc brake

Chain drive chain drive through automatic clutch

Specifications

Item No: GS-095B

Features:

1 Engine: 49cc, single cylinder, two-stroke, air cooled

2 Starting System: manual hand pull (alloy pull starter shell)

3 Max. Power: 2.5KW/8,700rpm

4 Max. Torque: 3.2 N.m/8,0

5 Compression ratio: 7.6:1

6 Max. speed: 45km/h

7 Tank Capacity : 1L

8 Fuel / oil unleaded petrol : 25:1 2-stroke engine oil mixing

9 Brake: rear disc brake

10 Ignition mode: Contactless

11 Transmission System: chain drive through automatic clutch

12 Tyre:

a) Front: 3.00 - 4

b) Rear: 3.00 - 4

13 Wheel Rims:

a) Light alloy

b) Front: 4" - 51

c) Rear: 4" - 95

14 Max. load: 100kg

15 Color available: red, blue, yellow, black, green, orange...

16 Product size: 100*58*53cm

17 Container:

20'GQ/FCL: 87pcs

40'GQ/FCL: 185pcs

40'HQ/FCL: 230pcs



EPA



MAINBON GROUP COMPANY LIMITED

Tel: +86 (21) 6515-0222/0333/0993/1039, Fax: +86 (21) 6515-0777
Add: 1212, 578 TianBao Road, ShangHai 200086 China

Catalog

Model: GS-095C



Descriptions

Mini Quad with 49CC single cylinder, air -cooled, 2 stroke engine

Max Speed 45km/h

Rear disc brake

Chain drive chain drive through automatic clutch

Specifications

Item No: GS-095C

Features:

Engine: 49cc, single cylinder, two-stroke, air cooled

Transmission system: chain drive through automatic clutch

Starting system: manual hand pull (alloy pull starter shell)

Brake: rear disc brake

Max.Power: 2.5KW/8,700rpm

Max. Torque: 3.2 N.m/8,000rpm

Compression ratio: 7.6:1

Ignition mode: contactless

Tyre:

a) Front: 3.00 - 4

b) Rear: 3.00 - 4

Wheel rims:

a) Light alloy

b) Front: 4" - 51

c) Rear: 4" - 95

Tank capacity: 1L

Fuel / oil unleaded petrol: 25:1 , 2-stroke engine oil mixing

Max. load: 100kg

Max. speed: 45km/h

Color available: red, blue, yellow, black, green, orange...

Product size: 100*58*53cm

Container:

20'GQ/FCL: 87pcs

40'GQ/FCL: 185pcs

40'HQ/FCL: 230pcs



EPA



MAINBON GROUP COMPANY LIMITED

Tel: +86 (21) 6515-0222/0333/0993/1039, Fax: +86 (21) 6515-0777
Add: 1212, 578 TianBao Road, ShangHai 200086 China

Catalog

Model: GS-095D



Descriptions

Mini Quad with 49CC single cylinder, air -cooled, 2 stroke engine

Max Speed 45km/h

Rear disc brake

Chain drivechain drive through automatic clutch

Specifications

Item No: GS-095D

Features:

Engine: 49cc, single cyliner, two-stroke, air cooled

Transmission system: chain drive through automatic clutch

Starting system: manual hand pull (alloy pull starter shell)

Brake: rear disc brake

Max.Power: 2.5KW/8,700rpm

Max. Torque: 3.2 N.m/8,000rpm

Compression ratio: 7.6:1

Ignition mode: contactless

Tyre:

a) Front: 3.00 - 4

b) Rear: 3.00 - 4

Wheel rims:

a) Light alloy

b) Front: 4" - 51

c) Rear: 4" - 95

Tank capacity: 1L

Fuel / oil unleaded petrol: 25:1 , 2-stroke engine oil mixing

Max. load: 100kg

Max. speed: 45km/h

Color available: red, blue, yellow, black, green, orange...

Product size:100*58*53cm

Container:

20'GQ/FCL: 87pcs

40'GQ/FCL: 185pcs

40'HQ/FCL: 230pcs



EPA



MAINBON GROUP COMPANY LIMITED

Tel: +86 (21) 6515-0222/0333/0993/1039, Fax: +86 (21) 6515-0777
Add: 1212, 578 TianBao Road, ShangHai 200086 China

Catalog

Model: GS-095E



Descriptions

Mini Quad with 49CC single cylinder, air -cooled, 2 stroke engine

Max Speed 45km/h

Rear disc brake

Chain drive chain drive through automatic clutch

Specifications

Item No: GS-095E

Features:

Engine: 49cc, single cylinder, two-stroke, air cooled

Transmission system: chain drive through automatic clutch

Starting system: manual hand pull (alloy pull starter shell)

Brake: rear disc brake

Max.Power: 2.5KW/8,700rpm

Max. Torque: 3.2 N.m/8,000rpm

Compression ratio: 7.6:1

Ignition mode: contactless

Tyre:

a) Front: 3.00 - 4

b) Rear: 3.00 - 4

Wheel rims:

a) Light alloy

b) Front: 4" - 51

c) Rear: 4" - 95

Tank capacity: 1L

Fuel / oil unleaded petrol: 25:1 , 2-stroke engine oil mixing

Max. load: 100kg

Max. speed: 45km/h

Color available: red, blue, yellow, black, green, orange...

Product size: 100*58*53cm

Container:

20'GQ/FCL: 87pcs

40'GQ/FCL: 185pcs

40'HQ/FCL: 230pcs



EPA



MAINBON GROUP COMPANY LIMITED

Tel: +86 (21) 6515-0222/0333/0993/1039, Fax: +86 (21) 6515-0777
Add: 1212, 578 TianBao Road, ShangHai 200086 China

Catalog

Model: GS-095F



Descriptions

Mini Quad with 49CC single cylinder, air -cooled, 2 stroke engine

Max Speed 45km/h

Rear disc brake

Chain drive chain drive through automatic clutch

Specifications

Item No: GS-095F

Features:

Engine: 49cc, single cylinder, two-stroke, air cooled

Transmission system: chain drive through automatic clutch

Starting system: manual hand pull (alloy pull starter shell)

Brake: rear disc brake

Max.Power: 2.5KW/8,700rpm

Max. Torque: 3.2 N.m/8,000rpm

Compression ratio: 7.6:1

Ignition mode: contactless

Tyre:

a) Front: 3.00 - 4

b) Rear: 3.00 - 4

Wheel rims:

a) Light alloy

b) Front: 4" - 51

c) Rear: 4" - 95

Tank capacity: 1L

Fuel / oil unleaded petrol: 25:1 , 2-stroke engine oil mixing

Max. load: 100kg

Max. speed: 45km/h

Color available: red, blue, yellow, black, green, orange...

Product size: 100*58*53cm

Container:

20'GQ/FCL: 87pcs

40'GQ/FCL: 185pcs

40'HQ/FCL: 230pcs



EPA



MAINBON GROUP COMPANY LIMITED

Tel: +86 (21) 6515-0222/0333/0993/1039, Fax: +86 (21) 6515-0777
Add: 1212, 578 TianBao Road, ShangHai 200086 China

Catalog

Model: GS-095G



Descriptions

Mini Quad with 49CC single cylinder, air -cooled, 2 stroke engine

Max Speed 45km/h

Rear disc brake

Chain drivechain drive through automatic clutch

Specifications

Item No: GS-095G

Features:

Engine: 49cc, single cyliner, two-stroke, air cooled

Transmission system: chain drive through automatic clutch

Starting system: manual hand pull (alloy pull starter shell)

Brake: rear disc brake

Max.Power: 2.5KW/8,700rpm

Max. Torque: 3.2 N.m/8,000rpm

Compression ratio: 7.6:1

Ignition mode: contactless

Tyre:

a) Front: 3.00 - 4

b) Rear: 3.00 - 4

Wheel rims:

a) Light alloy

b) Front: 4" - 51

c) Rear: 4" - 95

Tank capacity: 1L

Fuel / oil unleaded petrol: 25:1 , 2-stroke engine oil mixing

Max. load: 100kg

Max. speed: 45km/h

Color available: red, blue, yellow, black, green, orange...

Product size:100*58*53cm

Container:

20'GQ/FCL: 87pcs

40'GQ/FCL: 185pcs

40'HQ/FCL: 230pcs



EPA



MAINBON GROUP COMPANY LIMITED

Tel: +86 (21) 6515-0222/0333/0993/1039, Fax: +86 (21) 6515-0777
Add: 1212, 578 TianBao Road, ShangHai 200086 China

Catalog

Model: GS-095H



Descriptions

Mini Quad with 49CC, air -cooled, 2 stroke engine

Max Speed 35km/h

Rear disc brake

Front and rear suspension

Specifications

Item No: GS-095H

Features:

Engine:49cc,2 stroke, air cooled

Start system: pull start

Max speed:35km/h

Max load:80kgs

Rear brake: rear disc brake

Suspension: front and rear

Tire size:4.10/3.50-4

Oil tank:1.5L

Product size:110x70x60

40'HQ:128pcs,40'gp:96pcs,20'gp:48pcs

