




1212, 578 TIANBAO ROAD
SHANGHAI 200086
CHINA

Mainbon Group Company Limited

50cc Gas ATV Catalog 2008



Top Quality



+86 (21) 65150222/0333;



+86 (21) 65150777;



sales@exportscooter.com



1212, 578 TianBao Road, Shanghai 200086 China.



MAINBON GROUP COMPANY LIMITED

Tel: +86 (21) 6515-0222/0333/0993/1039, Fax: +86 (21) 6515-0777
Add: 1212, 578 TianBao Road, ShangHai 200086 China

Catalog

Model: ATV50S-4



Descriptions

50cc Quad with Single Cylinder;air-cooling;four stroke engine
Front-wheel drive
Rear Disc brake
Automatic four gear shift gear

Specifications

Model No:	ATV50S-4
Length*Width*Height*	1080*670*770mm
Wheel Base	700mm
Engine Type	Single Cylinder;air-cooling;four stroke
Start Mode	Electric
Power (Kw/r/min)	2.2Kw/7500r/min
Max Torque (N.m/r/min)	3.0N.m/6000r/min
Max Speed(km/h)	30
Mini Ground Clearance (mm)	95
Dry Weight(Kg)	68
Transmission Mode	Chain
Break Type	Rear Disc
Specification of tyre	12V6.5Ah
Climb Degree	15
Tank Capacity	2.75L
Front suspension	Integral
Rear suspension	Integral
Specification of tyre	Front-wheel drive 145/70-6 Rear wheel 145/70-6
Cylinder Diameter*Journey	39*41.4mm
Displacement	49.456ml
Shift Gear	Four gear,automatic
Height of seats	540mm
Mini Turning radium	1600mm
Parking Trig	Mechanic Lock

Ignition Mode	CDI
Loading Capacity	50kg
Engine Oil	0.8L
Gear Wheel oil	
Person	1
Lubrication	Press Splash
Compression Proportion	8.8:1
Gas Cylinder number	1
Parking Dimension	1120*670*670mm
Quantity of loading	20' GP: 51 units
	40' GP: 105 units
	40' HQ: 138 units





MAINBON GROUP COMPANY LIMITED

Tel: +86 (21) 6515-0222/0333/0993/1039, Fax: +86 (21) 6515-0777
Add: 1212, 578 TianBao Road, ShangHai 200086 China

Catalog

Model: ATV50S-5



Descriptions

50cc Quad with Single Cylinder;air-cooling;four stroke engine

Front-wheel drive

Rear Disc brake

Automatic shift gear

Specifications

Model No:	ATV50S-5
Length * Width * Height	1230*660*860mm
Wheel Base	640mm
Engine Type	Single Cylinder;air-cooling;four stroke
Start Mode	Electric
Power (Kw/r/min)	2.2Kw/7500r/min
Max Torque (N.m/r/min)	3.0N.m/6000r/min
Max Speed(km/h)	30
Mini Ground Clearance (mm)	90
Dry Weight(Kg)	90
Transmission Mode	Chain
Break Type(F/R)	Rear Disc
Specification of tyre	12V5Ah
Climb Degree	15?
Tank Capacity	3.0L
Front Hanging	Integral
Rear Hanging	Integral
Specification of tyre	Front-wheel drive:145/70-6 Rear wheel:145/70-6
Cylinder Diameter* Journey	39*41.4mm
Displacement	49.456ml
Shift Gear	Automatic
Height of seats	560mm
Mini Turning radium	1800mm

Parking Trig	Mechanic Lock
Ignition Mode	C.D.I
Loading Capacity	80kg
Engine Oil	0.8L
Gear Wheel oil	
Person	1
Lubrication	Press Splash
Compression Proportion	8.8:1
Gas Cylinder number	1
Parking Dimension	1170*760*650mm
Quantity of loading	20' GP:45 units
	40' GP:90 units
	40' HQ:120 units





MAINBON GROUP COMPANY LIMITED

Tel: +86 (21) 6515-0222/0333/0993/1039, Fax: +86 (21) 6515-0777
Add: 1212, 578 TianBao Road, ShangHai 200086 China

Catalog

Model: ATV50S-6



Descriptions

50cc/70cc/90cc/110cc Quad with Single cylinder,air cooling,
4 stroke engine
Chain transmission system

Specifications

Model No: ATV50S-6

Engine:110CC,Single cylinder,air cooling,4 stroke

LxWxH(mm):1230x780x860

Wheel base:755mm

Seat height(mm):590mm

Ground clearance(mm):80mm

Brake:disc(R)

Transmission system:Chain

Tire:145/70-6(F) 145/70-6(R)

Load(kg):100kg

Fuel tank capacity(gallon)(L):2L

Maximum speed(km/h):55km/h

Starter system:Electric starter

Maximum power(Kw/rpm):5.5kw/8500rpm

Maximum torque(Nm/rpm):6.5nm/5500-6500rpm

N.W./G.W.:79kg/93kg

Carton size:1160x780x660mm

Container:42pcs/20'Qty 90pcs/40'Qty 120pcs/40'HQ





MAINBON GROUP COMPANY LIMITED

Tel: +86 (21) 6515-0222/0333/0993/1039, Fax: +86 (21) 6515-0777
Add: 1212, 578 TianBao Road, ShangHai 200086 China

Catalog

Model: ATV50S-7



Descriptions

50cc/70cc/90cc/110cc Quad with Single cylinder,air cooling,
4 stroke engine
Chain transmission system

Specifications

Model No: ATV50S-7

Engine:110CC,Single cylinder,air cooling,4 stroke

LxWxH(mm):1320x780x880

Wheel base:800mm

Seat height(mm):610mm

Ground clearance(mm):90mm

Brake:drum(F) disc(R)

Transmission system:Chain

Tire:16x8-7(F) 16x8-7(R)

Load(kg):120kg

Fuel tank capacity(gallon)(L):3.2L

Maximum speed(km/h):55km/h

Starter system:Electric starter

Maximum power(Kw/rpm):5.5kw/8500rpm

Maximum torque(Nm/rpm):6.5nm/5500-6500rpm

N.W./G.W.:75kg/98kg

Carton size:1330x770x630mm

Container:36pcs/20'Qty 81pcs/40'Qty 108pcs/40'HQ





MAINBON GROUP COMPANY LIMITED

Tel: +86 (21) 6515-0222/0333/0993/1039, Fax: +86 (21) 6515-0777
Add: 1212, 578 TianBao Road, ShangHai 200086 China

Catalog

Model: ATV50S-8



Descriptions

50cc/70cc/90cc/110cc Quad with Single cylinder,air cooling,
4 stroke engine
Chain transmission system

Specifications

Model No: ATV50S-8

Engine:110CC,Single cylinder,air cooling,4 stroke

LxWxH(mm):1350x840x920

Wheel base:870mm

Seat height(mm):650mm

Ground clearance(mm):90mm

Brake:disc(R)

Transmission system:Chain

Tire:16x8-7(F) 16x8-7(R)

Load(kg):100kg

Fuel tank capacity(gallon)(L):2L

Maximum speed(km/h):55km/h

Starter system:Electric starter

Maximum power(Kw/rpm):5.5kw/8500rpm

Maximum torque(Nm/rpm):6.5nm/5500-6500rpm

N.W./G.W.:75kg/101kg

Carton size:1330x770x660mm

Container:36pcs/20'Qty 81pcs/40'Qty 108pcs/40'HQ





MAINBON GROUP COMPANY LIMITED

Tel: +86 (21) 6515-0222/0333/0993/1039, Fax: +86 (21) 6515-0777
Add: 1212, 578 TianBao Road, ShangHai 200086 China

Catalog

Model: ATV50S-10



Descriptions

50cc/70cc/90cc/110cc Quad with Single cylinder,air cooling,
4 stroke engine
Chain transmission system

Specifications

Model No: ATV50S-10

Engine:110CC,Single cylinder,air cooling,4 stroke

LxWxH(mm):1290x830x940

Wheel base:900mm

Seat height(mm):690mm

Ground clearance(mm):90mm

Brake:disc(R)

Transmission system:Chain

Tire:front/ rear:16x8-7

Load(kg):100kg

Fuel tank capacity(gallon)(L):3.2L

Maximum speed(km/h):65km/h

Starter system:Electric starter

Maximum power(Kw/rpm):4.8kw/8000rpm

Maximum torque(Nm/rpm):5.7nm/6000-6500rpm

N.W./G.W.:83kg/98kg

Carton size:1160x840x660mm

Container:42pcs/20'Qty 84pcs/40'Qty 112pcs/40'HQ





MAINBON GROUP COMPANY LIMITED

Tel: +86 (21) 6515-0222/0333/0993/1039, Fax: +86 (21) 6515-0777
Add: 1212, 578 TianBao Road, ShangHai 200086 China

Catalog

Model: ATV50S-11



Descriptions

50cc/70cc/90cc/110cc Quad with Single cylinder, air cooling,
4 stroke engine
Chain transmission system

Specifications

Model No: ATV50S-11

Engine 110CC Single cylinder air cooling 4 stroke

LxWxH (mm) 1380x930x930

Wheel base 840mm

Seat height (mm) 690mm

Ground clearance (mm) 90mm

Brake disc (R)

Transmission system Chain

Tire front/ rear: 16x8-7

Load (kg) 120kg

Fuel tank capacity (gallon) L3.2L

Climbing capacity 20

Maximum speed (km/h) 65km/h

Starter system Electric starter

Maximum power (Kw/rpm) 5.5kw/8500rpm

Maximum torque (Nm/rpm) 6.5nm/5500-6500rpm

N.W./G.W. 82kg/98kg

Carton size 1160x840x660mm

Container 42pcs/20Qty 84pcs/40Qty 112pcs/40HQ



EPA



MAINBON GROUP COMPANY LIMITED

Tel: +86 (21) 6515-0222/0333/0993/1039, Fax: +86 (21) 6515-0777
Add: 1212, 578 TianBao Road, ShangHai 200086 China

Catalog

Model: ATV50S-12



Descriptions

50cc/70cc/90cc/110cc Quad with Single cylinder, air cooling,
4 stroke engine
Chain transmission system

Specifications

Model No: ATV50S-12

Engine 110CC Single cylinder air cooling 4 stroke

LxWxH mm 1450x850x930

Wheel base 870mm

Seat height mm 610mm

Ground clearance mm 120mm

Brake disc (R)

Transmission system Chain

Tire front/ rear: 16x8-7

Load kg 105kg

Fuel tank capacity (gallon) L 3.2L

Maximum speed km/h 65km/h

Starter system Electric starter

Maximum power Kw/rpm 5.5kw/8500rpm

Maximum torque Nm/rpm 6.5nm/5500-6500rpm

N.W./G.W. 86kg/105kg

Carton size 1185x760x660mm

Container 42pcs/20'Qty 84pcs/40'Qty 112pcs/40'HQ





MAINBON GROUP COMPANY LIMITED

Tel: +86 (21) 6515-0222/0333/0993/1039, Fax: +86 (21) 6515-0777
Add: 1212, 578 TianBao Road, ShangHai 200086 China

Catalog

Model: ATV50S-13



Descriptions

50cc/70cc/90cc/110cc Quad with Single cylinder, air cooling, 4 stroke engine
Chain transmission system

Specifications

Model No: ATV50S-13

Specification

Engine: Single cylinder, 50 cc (also 70cc, 90cc, 110cc), Four-stroke, Air-cooled

Drive System: Automatic

Transmission: Chain

Battery: 12V, 7AH

Start Method: Electric Start

Fuel Capacity: 3.0 L

Front suspension: Double spring suspensions

Suspension: Single spring suspension

Brake: Rear hydraulic disc brake / Front double drum brake

Front Tire: 16 X 8 - 7

Rear Tire: 16 X 8 - 7

Vehicle Dimension: 128 X 73 X 94 CM

Distance Between Axles: 79 CM

Distance Between Front Wheels: 54 CM

Distance Between Rear Wheels: 56 CM

Seat Height: 63 CM

Max. Speed: 60 KM/Hour

Weight Capacity: 150 KGS

Packaging

Measurement: 129 X 76.5 X 67 CM