




1212, 578 TIANBAO ROAD
SHANGHAI 200086
CHINA

Mainbon Group Company Limited

110cc ATV Catalog 2008



Top Quality



+86 (21) 65150222/0333;



+86 (21) 65150777;



sales@exportscooter.com



1212, 578 TianBao Road, Shanghai 200086 China.



MAINBON GROUP COMPANY LIMITED

Tel: +86 (21) 6515-0222/0333/0993/1039, Fax: +86 (21) 6515-0777
Add: 1212, 578 TianBao Road, ShangHai 200086 China

Catalog

Model: ATV110S-2



Descriptions

EEC approved 110cc quad with single cylinder, air-cooled, 4-stroke engine
Double arm-swing front hanging
Transmission 3 gears with reverse gear, automatic clutch

Specifications

Model No: ATV110S-2

Specifications:

1) Engine type: single cylinder, air-cooled, 4-stroke

2) Power: 5.0KW/7,500rpm

3) Max. torque: 7.41N.m/5,500rpm

4) Min. ground clearance: 140mm

5) Wheel base: 1,110mm

7) Transmission mode: shaft

8) Start mode: electric

9) Tires:

a) Front wheels: 19 x 7-8

b) Rear wheels: 18 x 9.50-8

10) Max. speed: 55km/h

11) Break type (F/R): drum/drum

12) Power source: 12V, 9Ah

13) Height of seats: 680mm

14) Dry weight: 148kg

15) Load capacity: 105kg

16) Climbing degree: 20

17) Front hanging: double arm-swing

18) Rear hanging: integral

19) Cylinder size: 52.449.5mm

20) Displacement: 107mL

21) Transmission: 3 gears with reverse gear, automatic clutch

22) Min. turning radius: 2,400mm

23) Parking trig: mechanical lock

24) Ignition mode: CDI

25) Engine oil: 0.9L

26) Gear oil: 0.2L

27) Max. number of riders: 1

28) Lubrication: press splash

29) Compression proportion: 9.1:1

30) Gas cylinder number: 1

31) Product Dimensions (L x W x H): 1,760 x 1,000 x 1,120mm

Outer packing:

Carton dimensions: 1,490 x 840 x 810mm

Conveyance:

Qty/20' GP: 20units

Qty/40' GP: 44 units

Qty/40' HQ: 66 units



EPA



MAINBON GROUP COMPANY LIMITED

Tel: +86 (21) 6515-0222/0333/0993/1039, Fax: +86 (21) 6515-0777
Add: 1212, 578 TianBao Road, ShangHai 200086 China

Catalog

Model: ATV110S-2



Descriptions

EEC approved 110cc quad with single cylinder, air-cooled, 4-stroke engine
Double arm-swing front hanging
Transmission 3 gears with reverse gear, automatic clutch

Specifications

Model No: ATV110S-2

Specifications:

- 1) Engine type: single cylinder, air-cooled, 4-stroke
- 2) Power: 5.0KW/7,500rpm
- 3) Max. torque: 7.41N.m/5,500rpm
- 4) Min. ground clearance: 140mm
- 5) Wheel base: 1,110mm
- 6) Fuel tank capacity: 6.6L
- 7) Transmission mode: shaft
- 8) Start mode: electric
- 9) Tires:
 - a) Front wheels: 19 x 7-8
 - b) Rear wheels: 18 x 9.50-8
- 10) Max. speed: 55km/h
- 11) Break type (F/R): drum/drum
- 12) Power source: 12V, 9Ah
- 13) Height of seats: 680mm
- 14) Dry weight: 148kg
- 15) Load capacity: 105kg
- 16) Climbing degree: 20
- 17) Front hanging: double arm-swing
- 18) Rear hanging: integral
- 19) Cylinder size: 52.449.5mm
- 20) Displacement: 107mL

- 21) Transmission: 3 gears with reverse gear, automatic clutch
- 22) Min. turning radius: 2,400mm
- 23) Parking trig: mechanical lock
- 24) Ignition mode: CDI
- 25) Engine oil: 0.9L
- 26) Gear oil: 0.2L
- 27) Max. number of riders: 1
- 28) Lubrication: press splash
- 29) Compression proportion: 9.1:1
- 30) Gas cylinder number: 1
- 31) Product Dimensions (L x W x H): 1,760 x 1,000 x 1,120mm

Outer packing:

Carton dimensions: 1,490 x 840 x 810mm

Conveyance:

Qty/20' GP: 20units

Qty/40' GP: 44 units

Qty/40' HQ: 66 units





MAINBON GROUP COMPANY LIMITED

Tel: +86 (21) 6515-0222/0333/0993/1039, Fax: +86 (21) 6515-0777
Add: 1212, 578 TianBao Road, ShangHai 200086 China

Catalog

Model: ATV110S-11



Descriptions

110cc quad with Single Cylinder;air-cooling;four stroke engine

Double arm-swing front Hanging

Three gear with reverse gear, automatic clutch

Specifications

Model No:	ATV110S-11
Length*Width*Height:	1550*920*980mm
Wheel Base:	1030mm
Engine Type:	Single Cylinder;air-cooling;four stroke
Start Mode:	Electric
Power:	4.6Kw/7500r/min
Max Torque:	6.5N.m/6500r/min
Max Speed(km/h):	40
Mini Ground Clearance:	100mm
Dry Weight:	135kg
Transmission Mode:	Axis
Break Type(F/R):	Drum/Drum
Specification:	12V9Ah
Climb Degree:	15
Tank Capacity:	6.6L
Front Hanging:	Double arm-swing
Rear Hanging:	Integral
Specification of tyre:	Front-wheel drive:19*7-8 Rear wheel:18*9.50-8
Cylinder Diameter*Journey:	52.4*49.5mm
Displacement:	106.7ml
Shift Gear:	Three gear,With reverse gear,automatic clutch
Height of seats:	650mm
Mini Turning radium:	2500mm

Parking Trig:	Mechanic Lock
Ignition Mode:	CDI
Loading Capacity:	125kg
Engine Oil:	0.9L
Gear Wheel oil:	0.2L
Person:	1
Lubrication:	Press Splash
Compression Proportion:	9.1:1
Gas Cylinder number:	1
Parking Dimension:	1490*835*770mm
Quantity of loading:	20' GP: 29 units
	40' GP: 64 units
	40' HQ: 66 units





MAINBON GROUP COMPANY LIMITED

Tel: +86 (21) 6515-0222/0333/0993/1039, Fax: +86 (21) 6515-0777
Add: 1212, 578 TianBao Road, ShangHai 200086 China

Catalog

Model: ATV110S-13



Descriptions

110cc quad with Single Cylinder;air-cooling;four stroke engine
Double arm-swing front Hanging
Three gear with reverse gear, automatic clutch

Specifications

Model No:	ATV110S-13
Length*Width*Height:	1800*970*1070mm
Wheel Base:	1070mm
Engine Type:	Single Cylinder;air-cooling;four stroke
Start Mode:	Electric
Power:	4.6KW/7500r/min
Max Torque:	6.5N.m/6000r/min
Max Speed(km/h):	40
Mini Ground Clearance:	100mm
Dry Weight:	135kg
Transmission Mode	Chain
Break Type(F/R):	Drum/Disc
Specification:	12V9Ah
Climb Degree:	20
Tank Capacity:	6.6L
Front Hanging:	Double arm-swing
Rear Hanging:	Integral
Specification of tyre:	Front-wheel drive:19*7-8 Rear wheel:189.50-8
Cylinder Diameter*Journey:	52.4*49.5mm
Displacement:	106.7ml
Shift Gear:	Three gear with reverse gear,automatic clutch
Height of seats:	680mm
Mini Turning radium:	2400mm
Parking Trig:	Mechanic Lock

Ignition Mode:	CDI
Loading Capacity:	125kg
Engine Oil:	0.9L
Gear Wheel oil:	0.2L
Person:	1
Lubrication:	Press Splash
Compression Proportion:	9.1:1
Gas Cylinder number:	1
Parking Dimension:	1485*835*770mm
Quantity of loading:	20' GP: 29 units
	40' GP: 64 units
	40' HQ: 66 units





MAINBON GROUP COMPANY LIMITED

Tel: +86 (21) 6515-0222/0333/0993/1039, Fax: +86 (21) 6515-0777
Add: 1212, 578 TianBao Road, ShangHai 200086 China

Catalog

Model: ATV110S-15



Descriptions

New 110cc quad with Single Cylinder;air-cooling;four stroke engine

Double arm-swing front Hanging

CVT with inner reverse gear transmission

Specifications

Model No: ATV110S-15

Specifications:

- 1) Engine type: single-cylinder, air-cooled, 4-stroke
- 2) Power: 5.0kW / 7,500rpm
- 3) Max. torque: 7.4N.m / 5,500rpm
- 4) Min. ground clearance: 120mm
- 5) Wheel base: 1,080mm
- 6) Fuel tank capacity: 6.6L
- 7) Transmission mode: chain
- 8) Start mode: electric
- 9) Tires:
 - a) Front wheels: 19 x 7-8
 - b) Rear wheels: 18 x 9.50-8
- 10) Max. speed: 65km/h
- 11) Break type (F/R): drum / disc
- 12) Power source: 12V, 9Ah
- 13) Height of seats: 760mm
- 14) Dry weight: 151kg
- 15) Load capacity: 105kg
- 16) Climbing degree: 20
- 17) Front hanging: double arm-swing
- 18) Rear hanging: integral
- 19) Cylinder size: 52.5 x 29.5mm
- 20) Displacement: 107ml
- 21) Transmission: CVT with inner reverse gear

22) Min. turning radius: 2,400mm

23) Parking trig: mechanical lock

24) Ignition mode: CDI

25) Engine oil: 0.93L

26) Gear oil: 0.11L

27) Max. number of riders: 1

28) Lubrication: press splash

29) Compression proportion: 0.1:1

30) Gas cylinder number: 1

31) Product dimensions (L x W x H): 1,790 x 1,120 x 1,120mm

Outer packing:

Carton dimensions: 1,490 x 840 x 830mm

Conveyance:

Qty/20' GP: 14pcs

Qty/40' GP: 30pcs

Qty/40' HQ: 45pcs



EPA