




1212, 578 TIANBAO ROAD
SHANGHAI 200086
CHINA

Mainbon Group Company Limited

150cc ATV Catalog 2008



Top Quality



+86 (21) 65150222/0333;



+86 (21) 65150777;



sales@exportscooter.com



1212, 578 TianBao Road, Shanghai 200086 China.



MAINBON GROUP COMPANY LIMITED

Tel: +86 (21) 6515-0222/0333/0993/1039, Fax: +86 (21) 6515-0777
Add: 1212, 578 TianBao Road, ShangHai 200086 China

Catalog

Model: ATV150S-2



Descriptions

EEC approved 150cc quad with Single
Cylinder;air-cooling;four stroke engine
Double arm-swing front Hanging and Disc brake
CVT with inner reverse gear transmission

Specifications

Model No: ATV150S-2

Specifications:

- 1) Engine type: single-cylinder, compelled air-cooled, 4-stroke
- 2) Power: 6.2kW / 7,200rpm
- 3) Max. torque: 9.8N.m / 4,800rpm
- 4) Min. ground clearance: 120mm
- 5) Wheel base: 1,080mm
- 6) Fuel tank capacity: 6.6L
- 7) Transmission mode: chain
- 8) Start mode: electric
- 9) Tires:
 - a) Front wheels: 19 x 7-8
 - b) Rear wheels: 18 x 9.50-8
- 10) Max. speed: 65km/h
- 11) Break type (F/R): disc / disc
- 12) Power source: 12V, 9Ah
- 13) Height of seats: 760mm
- 14) Dry weight: 153kg
- 15) Load capacity: 105kg
- 16) Climbing degree: 20
- 17) Front hanging: double arm-swing
- 18) Rear hanging: integral
- 19) Cylinder size: 57.4 x 57.8mm
- 20) Displacement: 149ml
- 21) Transmission: CVT with inner reverse gear

22) Min. turning radius: 2,400mm

23) Parking trig: mechanical lock

24) Ignition mode: CDI

25) Engine oil: 0.93L

26) Gear oil: 0.11L

27) Max. number of riders: 1

28) Lubrication: press splash

29) Compression proportion: 10.0:1

30) Gas cylinder number: 1

31) Product dimensions (L x W x H): 1,710 x 1,000 x 1,100mm

Outer packing:

Carton dimensions: 1,490 x 840 x 830mm

Conveyance:

Qty/20' GP: 20pcs

Qty/40' GP: 44pcs

Qty/40' HQ: 66pcs



EPA



MAINBON GROUP COMPANY LIMITED

Tel: +86 (21) 6515-0222/0333/0993/1039, Fax: +86 (21) 6515-0777
Add: 1212, 578 TianBao Road, ShangHai 200086 China

Catalog

Model: ATV150S-3B



Descriptions

150cc quad with Single Cylinder;air-cooling;four stroke engine

Arm-swing front Hanging and rear disc brake

CVT with inner reverse gear transmission

Specifications

Model No: ATV150S-3B

Specifications:

- 1) Engine type: single cylinder, compelled air-cooling, four-stroke
- 2) Power: 5.2kW / 7,500rpm
- 3) Max. torque: 8.5N.m / 6,000rpm
- 4) Min. ground clearance: 120mm
- 5) Wheel base: 1,090mm
- 6) Fuel tank capacity: 6.6L
- 7) Transmission mode: chain
- 8) Start mode: electric
- 9) Tires:
 - a) Front wheels: 19 x 7-8
 - b) Rear wheels: 18 x 9.5-8
- 10) Max. speed: 45km/h
- 11) Break type (F / R): drum / disc
- 12) Power source: 12V, 9Ah
- 13) Height of seats: 760mm
- 14) Dry weight: 140kg
- 15) Load capacity: 130kg
- 16) Climbing degree: 20
- 17) Front hanging: arm-swing
- 18) Rear hanging: integral
- 19) Cylinder size: 57.4 x 57.8mm
- 20) Displacement: 149.65ml

- 21) Transmission: CVT
- 22) Min. turning radius: 2,400mm
- 23) Parking trig: mechanical lock
- 24) Ignition mode: CDI
- 25) Engine oil: 0.9L
- 26) Gear oil: 0.11L
- 27) Max. number of riders: 1
- 28) Lubrication: press splash
- 29) Compression proportion: 10.0: 1
- 30) Gas cylinder number: 1
- 31) Product dimensions (L x W x H): 1,620 x 920 x 950mm

Outer packing:

Carton dimensions: 1,470 x 835 x 770mm

Conveyance:

Qty/20' GP: 31 units

Qty/40' GP: 64 units

Qty/40' HQ: 66 units





MAINBON GROUP COMPANY LIMITED

Tel: +86 (21) 6515-0222/0333/0993/1039, Fax: +86 (21) 6515-0777
Add: 1212, 578 TianBao Road, ShangHai 200086 China

Catalog

Model: ATV150S-3D



Descriptions

150cc quad with Single Cylinder;air-cooling;four stroke engine
Arm-swing front Hanging and rear disc brake

Specifications

Model No:	ATV150S-3D
Length*Width*Height:	1660*1000*1050
Wheel Base:	1050mm
Engine Type:	Single Cylinder;air-cooling;four stroke
Start Mode:	Electric/Electric kick
Power (Kw/r/min):	5.2Kw/7500r/min
Max Torque :	8.5N.m/6000r/min
Max Speed(km/h):	45
Mini Ground Clearance:	110mm
Dry Weight:	140kg
Transmission Mode:	Chain
Break Type(F/R):	Drum/Disc
Specification:	12V9Ah
Climb Degree:	20
Tank Capacity:	6.6L
Front Hanging:	Arm-swing
Rear Hanging:	Integral
Specification of tyre:	Front-wheel drive:197-8
a	Rear wheel:189.50-8
Cylinder Diameter*Journey(mm):	57.4*57.8
Displacement :	149.65ml
Shift Gear:	CVT
Height of seats:	800mm
Mini Turning radium:	2500mm

Parking Trig:	Mechanic Lock
Ignition Mode:	C.D.I
Loading Capacity:	130kg
Engine Oil:	0.93L
Gear Wheel oil:	0.11L
Person:	1
Lubrication:	Press Splash
Compression Proportion:	9.1:1
Gas Cylinder number:	1
Parking Dimension(mm):	1490*940*770
Quantity of loading	20' GP: 21 units
	40' GP: 45 units
	40' HQ: 45 units





MAINBON GROUP COMPANY LIMITED

Tel: +86 (21) 6515-0222/0333/0993/1039, Fax: +86 (21) 6515-0777
Add: 1212, 578 TianBao Road, ShangHai 200086 China

Catalog

Model: ATV150S-3E



Descriptions

150cc quad with Single Cylinder;air-cooling;four stroke engine
Arm-swing front Hanging and rear disc brake

Specifications

Model No: ATV150S-3E

Specifications:

- 1) Engine type: single-cylinder, compelled air-cooled, 4-stroke
- 2) Power: 5.2kW / 7,500rpm
- 3) Max. torque: 8.5N.m / 6,000rpm
- 4) Min. ground clearance: 150mm
- 5) Wheel base: 1,100mm
- 6) Fuel tank capacity: 6.6L
- 7) Transmission mode: chain
- 8) Start mode: electric / electric kick
- 9) Tires:
 - a) Front wheels: 23 x 7.0-10
 - b) Rear wheels: 22 x 10-10
- 10) Max. speed: 45km/h
- 11) Break type (F/R): drum / disc
- 12) Power source: 12V, 9Ah
- 13) Height of seats: 760mm
- 14) Dry weight: 140kg
- 15) Load capacity: 130kg
- 16) Climbing degree: 20 degrees
- 17) Front hanging: arm-swing
- 18) Rear hanging: integral
- 19) Cylinder size: 57.4 x 57.8mm
- 20) Displacement: 149.65ml

- 21) Transmission: CVT
- 22) Min. turning radius: 2,400mm
- 23) Parking trig: mechanical lock
- 24) Ignition mode: CDI
- 25) Engine oil: 0.9L
- 26) Gear oil: 0.11L
- 27) Max. number of riders: 1
- 28) Lubrication: press splash
- 29) Compression proportion: 10.0:1
- 30) Gas cylinder number: 1
- 31) Product dimensions (L x W x H): 1,700 x 950 x 1,000mm

Outer packing:

Carton dimensions: 1,470 x 835 x 770mm

Conveyance:

Qty/20' GP: 22pcs

Qty/40' GP: 48pcs

Qty/40' HQ: 57pcs





MAINBON GROUP COMPANY LIMITED

Tel: +86 (21) 6515-0222/0333/0993/1039, Fax: +86 (21) 6515-0777
Add: 1212, 578 TianBao Road, ShangHai 200086 China

Catalog

Model: ATV150S-8



Descriptions

150cc quad with Single Cylinder;air-cooling;four stroke engine

Arm-swing front Hanging and rear disc brake

Specifications

Model No:	ATV150S-8
Length*Width*Height:	1620*920*950mm
Wheel Base:	1090mm
Engine Type:	Single Cylinder;air-cooling;four stroke
Start Mode:	Electric/Electric kick
Power (Kw/r/min):	5.2KW/7500r/min
Max Torque (N.m/r/min):	8.4N.m/6500r/min
Mini Ground Clearance:	120mm
Max Speed:	45
Dry Weight:	140kg
Transmission Mode:	chain
Break Type(F/R):	Drum/Disc
Specification:	12V 9Ah
Climb Degree:	20
Tank Capacity:	6.6L
Front Hanging:	Double arm-swing
Rear Hanging:	Integral
Specification of tyre:	Front-wheel drive 197-8 埧 Rear wheel 189.50-8
Cylinder Diameter*Journey:	57.4*57.8mm
Displacement:	149.65ml
Shift Gear:	CVT
Height of seats:	760mm
Mini Turning radium:	2400mm

Parking Trig:	Mechanic Lock
Ignition Mode:	C.D.I
Loading Capacity:	140kg
Engine Oil:	0.93L
Gear Wheel oil:	0.3L
Person:	1
Lubrication:	Press Splash
Compression Proportion:	10.0:1
Gas Cylinder number:	Double cylinders, Parataxis
Parking Dimension:	1470*835*870mm
Quantity of loading:	20' GP: 29 units
	40' GP: 64 units
	40' HQ: 66 units

