




1212, 578 TIANBAO ROAD
SHANGHAI 200086
CHINA

Mainbon Group Company Limited

RTV Catalog 2008



Top Quality



+86 (21) 65150222/0333;



+86 (21) 65150777;



sales@exportscooter.com



1212, 578 TianBao Road, Shanghai 200086 China.



MAINBON GROUP COMPANY LIMITED

Tel: +86 (21) 6515-0222/0333/0993/1039, Fax: +86 (21) 6515-0777
Add: 1212, 578 TianBao Road, ShangHai 200086 China

Catalog

Model: RTV-299A



Descriptions

Rough Terrain Vehicle with 250CC water cool engine

Max Speed 40km/h

2 Passenger can container

Specifications

Model No: RTV-299A

Technique parameter

Full dimensions(mm):2620X1300X1890

caton dimensions(mm):2283X1304X1280

Amount of air exhaust:250CC, water cool

Max.power:11kw/7000rpm

Rated output:5.5kw/7000rpm

Max.torque:17.6NM/5500RPM

Distance between the wheels(mm):the front wheel:1055 the rear wheel:955

Min.clef to the ground (mm): 180

Min.truning radius (m)3.5

Mas.Speed(km/h):40

Climbing capacity%(on the dry ground): 20

The braking distance(full-load on the dry,flat pitch or concrete road with the speed of 30km/h):6

Passenger can container(person):2

Container:4pcs/20' 18pcs / 40" HQ





MAINBON GROUP COMPANY LIMITED

Tel: +86 (21) 6515-0222/0333/0993/1039, Fax: +86 (21) 6515-0777
Add: 1212, 578 TianBao Road, ShangHai 200086 China

Catalog

Model: RTV-299B



Descriptions

Rough Terrain Vehicle with 150CC water cool engine
Max Speed 40km/h
2 Passenger can container

Specifications

Model No: TRV-299B
Technique parameter
Full dimensions(mm):2620X1300X1890
caton dimensions(mm):2283X1304X1280
Amount of air exhaust:150CC, WATER COOL
Max.power:8.7kw/7000rpm
Distance between the wheels(mm):the front wheel:1055 the rear wheel:955
Min.clef to the ground (mm): 180
Min.truning radius (m)3.5
Mas.Speed(km/h):40
Climbing capacity%(on the dry ground): 20
The braking distance(full-load on the dry,flat pitch or concrete road with the speed of 30km/h):6
Passenger can container(person):2
Container:4pcs/20' 18pcs / 40" HQ





MAINBON GROUP COMPANY LIMITED

Tel: +86 (21) 6515-0222/0333/0993/1039, Fax: +86 (21) 6515-0777
Add: 1212, 578 TianBao Road, ShangHai 200086 China

Catalog

Model: RTV-299D



RTV-299D

Descriptions

Rough Terrain Vehicle with 250CC engine
Max Speed 40km/h
4 Passenger can container

Specifications

Model No: RTV-299D

Technique parameter

Full dimensions(mm):3320X1300X1890

carton dimensions(mm):2970X1304X1280

Amount of air exhaust:250CC

Max.power:11kw/7000rpm

Distance between the wheels(mm):the front wheel:1055

the rear wheel:955

Min.clef to the ground (mm): 180

Min.truning radius (m)3.5

Mas.Speed(km/h):40

Climbing capacity%(on the dry ground): 20

The braking distance(full-load on the dry,flat pitch or concrete road with the speed of 30km/h):6

Passenger can container(person):4

Container: 8pcs / 40" HQ





MAINBON GROUP COMPANY LIMITED

Tel: +86 (21) 6515-0222/0333/0993/1039, Fax: +86 (21) 6515-0777
Add: 1212, 578 TianBao Road, ShangHai 200086 China

Catalog

Model: RTV-299E



RTV-299E

Descriptions

Rough Terrain Vehicle with electric motor
48V/150AH battery
Max power 3kw/7000rpm
Max Speed 30km/h
2 Passenger can container

Specifications

Model No: RTV-299E

Technique parameter

Electric motor

Full dimensions(mm):2620X1300X1890

carton dimensions(mm):2283X1304X1280

Battery: 48V/150AH

Max.power:3kw/7000rpm

Distance between the wheels(mm):

the front wheel:1055

the rear wheel:955

Min.clef to the ground (mm): 180

Min.truning radius (m)3.5

Mas.Speed(km/h):30

Climbing capacity%(on the dry ground):20

The braking distance(full-load on the dry,flat pitch or concrete road with the speed of 30km/h): 6

Passenger can container(person):2

Container:4pcs/20' 18pcs / 40" HQ



EPA



MAINBON GROUP COMPANY LIMITED

Tel: +86 (21) 6515-0222/0333/0993/1039, Fax: +86 (21) 6515-0777
Add: 1212, 578 TianBao Road, ShangHai 200086 China

Catalog

Model: RTV-800

Descriptions



Hunting Vehicle with 800cc, water-cooled,
4-stroke engine
Four wheels independent suspension
Hydraulic disc brake

Specifications

Model No: RTV-800

Engine: 800cc, single cylinder, water-cooled, 4-stroke

Starter: Electric start

Fuel tank capacity: 26L

Ignition: CDI.1-3-2

Power: 29.5Kw(5500r/min)

Transmission: four front, one back

Drive mode: Axle

Tire(front/rear): 25*8-12/ 25*10-12

Max speed: 100km/h

Suspension: Four wheels independent suspension

Brake system: Hydraulic disc brake

Mini Ground Clearance: 230mm

Front/Rear wheel: Front:25*8-12; Rear:25*10-12

Distance(axle): 1450mm

Length/Width/Height: 2760*1620*1450mm

Package Size L/W/H: 2800*1550*800cm

Tank Capacity: 26L

Weight: 390kg

Colors: Black, Red, Green, Blue, Yellow carbon painting

Toolset: Standard

Quantity: 20ft container: 6pcs; 40ft container: 12pcs; 40hq container: 16pcs