




1212, 578 TIANBAO ROAD
SHANGHAI 200086
CHINA

Mainbon Group Company Limited

50cc Motor Scooter Catalog 2008



Top Quality



+86 (21) 65150222/0333;



+86 (21) 65150777;



sales@exportscooter.com



1212, 578 TianBao Road, Shanghai 200086 China.



MAINBON GROUP COMPANY LIMITED

Tel: +86 (21) 6515-0222/0333/0993/1039, Fax: +86 (21) 6515-0777
Add: 1212, 578 TianBao Road, ShangHai 200086 China

Catalog

Model: MT50QT-13 EEC



Descriptions

50cc motor scooter
EEC, EAP & DOT are approved
Different colors are available

Specifications

Model: MT50QT-13 EEC

- 1) Dry Weight: 80kg
- 2) Wheel Base: 1190mm
- 3) Exterior Size: 1715*640*1060mm
- 4) Maximum Speed: 45km/h
- 5) Maximum Payload Mass: 80kg
- 6) Fuel Capacity: 5.5L
- 7) Braing Type: F: Disk R: Drum
- 8) Engine Type: 4 stroke, Single, Air-forced cool
- 9) Displacement: 49.5ml
- 10) Maximum power: 2.4kw/8000r/min
- 11) Max.torque: 3.0N.m/7500rpm
- 12) Starting System: Electric/Kick
- 13) Tire Size: 3.5-10-4PR/3.5-10-4PR
- 14) Battery Size: 12V/7AH
- 15) Conveyance:
Qty/20' FCL: 26pcs
Qty/40' FCL: 56pcs
Qty/40' HQ: 105pcs

EPA DOT



EPA



MAINBON GROUP COMPANY LIMITED

Tel: +86 (21) 6515-0222/0333/0993/1039, Fax: +86 (21) 6515-0777
Add: 1212, 578 TianBao Road, ShangHai 200086 China

Catalog

Model: MT50QT-19-A EEC



Descriptions

50cc motor scooter
EEC, EAP & DOT are approved
Different colors are available

Specifications

Model: MT50QT-19-A EEC

- 1) Dry Weight: 92kg
- 2) Wheel Base: 1320mm
- 3) Exterior Size: 1830*690*1155mm
- 4) Maximum Speed: 45km/h
- 5) Maximum Payload Mass: 100kg
- 6) Fuel Capacity: 6.0 L
- 7) Braing Type: F: Disk R: Drum
- 8) Engine Type: 4 stroke, Single, Air-forced cool
- 9) Displacement: 49.5ml
- 10) Maximum power: 2.0kw/7000r/min
- 11) Max.torque: 2.9N.m/6000rpm
- 12) Starting System: Electric/Kick
- 13) Tire Size: 120/70-12
- 14) Battery Size: 12V/7AH
- 15) Conveyance:
Qty/20' FCL: 24pcs
Qty/40' FCL: 50pcs
Qty/40' HQ: 75pcs

EPA DOT



EPA



MAINBON GROUP COMPANY LIMITED

Tel: +86 (21) 6515-0222/0333/0993/1039, Fax: +86 (21) 6515-0777
Add: 1212, 578 TianBao Road, ShangHai 200086 China

Catalog

Model: MT50QT-19-B EEC



Descriptions

50cc motor scooter
EEC, EAP & DOT are approved
Different colors are available

Specifications

Model: MT50QT-19-B EEC

- 1) Dry Weight: 92kg
- 2) Wheel Base: 1320mm
- 3) Exterior Size: 1830*690*1155mm
- 4) Maximum Speed: 45km/h
- 5) Maximum Payload Mass: 100kg
- 6) Fuel Capacity: 6.0 L
- 7) Braing Type: F: Disk R: Drum
- 8) Engine Type: 4 stroke, Single, Air-forced cool
- 9) Displacement: 49.5ml
- 10) Maximum power: 2.0kw/7000r/min
- 11) Max.torque: 2.9N.m/6000rpm
- 12) Starting System: Electric/Kick
- 13) Tire Size: 120/70-12
- 14) Battery Size: 12V/7AH
- 15) Conveyance:
Qty/20' FCL: 24pcs
Qty/40' FCL: 50pcs
Qty/40' HQ: 75pcs

EPA DOT



EPA



MAINBON GROUP COMPANY LIMITED

Tel: +86 (21) 6515-0222/0333/0993/1039, Fax: +86 (21) 6515-0777
Add: 1212, 578 TianBao Road, ShangHai 200086 China

Catalog

Model: MT50QT-19-C EEC



Descriptions

50cc motor scooter
EEC, EAP & DOT are approved
Different colors are available

Specifications

Model: MT50QT-19-C EEC

- 1) Dry Weight: 92kg
- 2) Wheel Base: 1320mm
- 3) Exterior Size: 1830*690*1155mm
- 4) Maximum Speed: 45km/h
- 5) Maximum Payload Mass: 100kg
- 6) Fuel Capacity: 6.0 L
- 7) Braing Type: F: Disk R: Drum
- 8) Engine Type: 4 stroke, Single, Air-forced cool
- 9) Displacement: 49.5ml
- 10) Maximum power: 2.0kw/7000r/min
- 11) Max.torque: 2.9N.m/6000rpm
- 12) Starting System: Electric/Kick
- 13) Tire Size: 120/70-12
- 14) Battery Size: 12V/7AH
- 15) Conveyance:
Qty/20' FCL: 24pcs
Qty/40' FCL: 50pcs
Qty/40' HQ: 75pcs

EPA DOT



EPA



MAINBON GROUP COMPANY LIMITED

Tel: +86 (21) 6515-0222/0333/0993/1039, Fax: +86 (21) 6515-0777
Add: 1212, 578 TianBao Road, ShangHai 200086 China

Catalog

Model: MT50QT-19-D EEC



Descriptions

50cc motor scooter
EEC, EAP & DOT are approved
Different colors are available

Specifications

Model: MT50QT-19-D EEC

- 1) Dry Weight: 92kg
- 2) Wheel Base: 1320mm
- 3) Exterior Size: 1830*690*1155mm
- 4) Maximum Speed: 45km/h
- 5) Maximum Payload Mass: 100kg
- 6) Fuel Capacity: 6.0 L
- 7) Braing Type: F: Disk R: Drum
- 8) Engine Type: 4 stroke, Single, Air-forced cool
- 9) Displacement: 49.5ml
- 10) Maximum power: 2.0kw/7000r/min
- 11) Max.torque: 2.9N.m/6000rpm
- 12) Starting System: Electric/Kick
- 13) Tire Size: 120/70-12
- 14) Battery Size: 12V/7AH
- 15) Conveyance:
Qty/20' FCL: 24pcs
Qty/40' FCL: 50pcs
Qty/40' HQ: 75pcs

EPA DOT



EPA



MAINBON GROUP COMPANY LIMITED

Tel: +86 (21) 6515-0222/0333/0993/1039, Fax: +86 (21) 6515-0777
Add: 1212, 578 TianBao Road, ShangHai 200086 China

Catalog

Model: MT50QT-2



Descriptions

50cc motor scooter
EPA and DOT approved
Different colors are available

Specifications

Model: MT50QT-2

- 1) Dry Weight: 92kg
- 2) Wheel Base: 1290mm
- 3) Exterior Size: 1810*725*1050mm
- 4) Maximum Speed: 50km/h
- 5) Maximum Payload Mass: 100kg
- 6) Fuel Capacity: 4.5L
- 7) Braing Type: F: Drum R: Drum
- 8) Engine Type: 4 stroke, Single, Air-forced cool
- 9) Displacement: 49.5ml
- 10) Maximum power: 2.35kw/7500r/min
- 11) Max.torque: 3.25N.m/6000rpm
- 12) Starting System: Electric/Kick
- 13) Tire Size: 3.50-10-4PR
- 14) Battery Size: 12V/7AH
- 15) Conveyance:
Qty/20' FCL: 24pcs
Qty/40' FCL: 50pcs
Qty/40' HQ: 75pcs

EPA DOT



EPA



MAINBON GROUP COMPANY LIMITED

Tel: +86 (21) 6515-0222/0333/0993/1039, Fax: +86 (21) 6515-0777
Add: 1212, 578 TianBao Road, ShangHai 200086 China

Catalog

Model: MT50QT-3



Descriptions

50cc motor scooter
EPA and DOT approved
Different colors are available

Specifications

Model: MT50QT-3

- 1) Dry Weight: 101kg
- 2) Wheel Base: 1215mm
- 3) Exterior Size: 1850*673*1098mm
- 4) Maximum Speed: 40km/h
- 5) Maximum Payload Mass: 80kg
- 6) Fuel Capacity: 6.5 L
- 7) Braing Type: F: Disk R: Drum
- 8) Engine Type: 4 stroke, Single, Air-forced cool
- 9) Displacement: 49.0ml
- 10) Maximum power: 2.5kw/7000r/min
- 11) Max.torque: 3.0N.m/6500rpm
- 12) Starting System: Electric/Kick
- 13) Tire Size: 3.50-10-4PR/3.50-10-4PR
- 14) Battery Size: 12V/7AH
- 15) Conveyance:
Qty/20' FCL: 24pcs
Qty/40' FCL: 50pcs
Qty/40' HQ: 75pcs

EPA DOT



EPA



MAINBON GROUP COMPANY LIMITED

Tel: +86 (21) 6515-0222/0333/0993/1039, Fax: +86 (21) 6515-0777
Add: 1212, 578 TianBao Road, ShangHai 200086 China

Catalog

Model: MT50QT-9



Descriptions

50cc motor scooter
EPA and DOT approved
Different colors are available

Specifications

Model: MT50QT-9

- 1) Dry Weight: 92kg
- 2) Wheel Base: 1220mm
- 3) Exterior Size: 1795*715*1100mm
- 4) Maximum Speed: 40km/h
- 5) Maximum Payload Mass: 80kg
- 6) Fuel Capacity: 4.5L
- 7) Braing Type: F: Disk R: Drum
- 8) Engine Type: 4 stroke, Single, Air-forced cool
- 9) Displacement: 49ml
- 10) Maximum power: 2.5kw/7000r/min
- 11) Max.torque: 3.0N.m/6500rpm
- 12) Starting System: Electric/Kick
- 13) Tire Size: 3.5-10-4PR/3.5-10-4PR
- 14) Battery Size: 12V/7AH
- 15) Conveyance:
Qty/20' FCL: 24pcs
Qty/40' FCL: 50pcs
Qty/40' HQ: 75pcs

EPA DOT



EPA



MAINBON GROUP COMPANY LIMITED

Tel: +86 (21) 6515-0222/0333/0993/1039, Fax: +86 (21) 6515-0777
Add: 1212, 578 TianBao Road, ShangHai 200086 China

Catalog

Model: MT50QT-10A



Descriptions

50cc motor scooter
EPA and DOT approved
Different colors are available

Specifications

Model: MT50QT-10A

- 1) Dry Weight: 80kg
- 2) Wheel Base: 1170mm
- 3) Exterior Size: 1630*625*1015mm
- 4) Maximum Speed: 50km/h
- 5) Maximum Payload Mass: 100kg
- 6) Fuel Capacity: 5.0L
- 7) Braing Type: F: Disk R: Drum
- 8) Engine Type: 4 stroke, Single, Air-forced cool
- 9) Displacement: 49.5ml
- 10) Maximum power: 2.35kw/7500r/min
- 11) Max.torque: 3.25N.m/6000rpm
- 12) Starting System: Electric/Kick
- 13) Tire Size: 100/60-12-4PR/100/60-12-4PR
- 14) Battery Size: 12V/7AH
- 15) Conveyance:
Qty/20' FCL: 26pcs
Qty/40' FCL: 56pcs
Qty/40' HQ: 105pcs

EPA DOT



EPA



MAINBON GROUP COMPANY LIMITED

Tel: +86 (21) 6515-0222/0333/0993/1039, Fax: +86 (21) 6515-0777
Add: 1212, 578 TianBao Road, ShangHai 200086 China

Catalog

Model: MT50QT-16(A)



Descriptions

50cc motor scooter
EPA and DOT approved
Different colors are available

Specifications

Model: MT50QT-16(A)

- 1) Dry Weight: 80kg
- 2) Wheel Base: 1160mm
- 3) Exterior Size: 1615*630*1048mm
- 4) Maximum Speed: 40km/h
- 5) Maximum Payload Mass: 80kg
- 6) Fuel Capacity: 6.0 L
- 7) Braing Type: F: Disk R: Drum
- 8) Engine Type: 4 stroke, Single, Air-forced cool
- 9) Displacement: 49.0ml
- 10) Maximum power: 2.5kw/7000r/min
- 11) Max.torque: 3.0N.m/6500rpm
- 12) Starting System: Electric/Kick
- 13) Tire Size: 80-10-4PR/80-10-4PR
- 14) Battery Size: 12V/7AH
- 15) Conveyance:
Qty/20' FCL: 26pcs
Qty/40' FCL: 56pcs
Qty/40' HQ: 93pcs

EPA DOT



EPA



MAINBON GROUP COMPANY LIMITED

Tel: +86 (21) 6515-0222/0333/0993/1039, Fax: +86 (21) 6515-0777
Add: 1212, 578 TianBao Road, ShangHai 200086 China

Catalog

Model: MT50QT-18A



Descriptions

50cc motor scooter
EPA and DOT approved
Different colors are available

Specifications

Model: MT50QT-18A (150cc is available)

- 1) Dry Weight: 110kg
- 2) Wheel Base: 1245mm
- 3) Exterior Size: 1785*680*1140mm
- 4) Maximum Speed: 80km/h
- 5) Maximum Payload Mass: 140kg
- 6) Fuel Capacity: 5.0 L
- 7) Braing Type: F: Disk R: Drum
- 8) Engine Type: 4 stroke, Single, Air-forced cool
- 9) Displacement: 49.5ml
- 10) Maximum power: 5.0kw/7000r/min
- 11) Max.torque: 7.3N.m/6000rpm
- 12) Starting System: Electric/Kick
- 13) Tire Size: 3.50-10/3.50-10
- 14) Battery Size: 12V/7AH
- 15) Conveyance:
Qty/20' FCL: 24pcs
Qty/40' FCL: 50pcs
Qty/40' HQ: 75pcs

EPA DOT



EPA



MAINBON GROUP COMPANY LIMITED

Tel: +86 (21) 6515-0222/0333/0993/1039, Fax: +86 (21) 6515-0777
Add: 1212, 578 TianBao Road, ShangHai 200086 China

Catalog

Model: MT50QT-20



Descriptions

50cc motor scooter
EPA and DOT approved
Different colors are available

Specifications

Model: MT50QT-20

- 1) Dry Weight: 80kg
- 2) Wheel Base: 1250mm
- 3) Exterior Size: 1770*650*1030mm
- 4) Maximum Speed: 40km/h
- 5) Maximum Payload Mass: 80kg
- 6) Fuel Capacity: 4.5L
- 7) Braing Type: F: Drum R: Drum
- 8) Engine Type: 4 stroke, Single, Air-forced cool
- 9) Displacement: 49ml
- 10) Maximum power: 2.5kw/7000r/min
- 11) Max.torque: 3.0N.m/6500rpm
- 12) Starting System: Electric/Kick
- 13) Tire Size: 3.00-10
- 14) Battery Size: 12V/7AH
- 15) Conveyance:
Qty/20' FCL: 26pcs
Qty/40' FCL: 56pcs
Qty/40' HQ: 105pcs

EPA DOT



EPA



MAINBON GROUP COMPANY LIMITED

Tel: +86 (21) 6515-0222/0333/0993/1039, Fax: +86 (21) 6515-0777
Add: 1212, 578 TianBao Road, ShangHai 200086 China

Catalog

Model: MT50QT-24



Descriptions

50cc motor scooter
EPA and DOT approved
Different colors are available

Specifications

Model: MT50QT-24 (125cc is available)

- 1) Dry Weight: 115kg
- 2) Wheel Base: 1,350mm
- 3) Exterior Size: 1980*690*1120mm
- 4) Maximum Speed: 100km/h
- 5) Maximum Payload Mass: 165kg
- 6) Fuel Capacity: 6.0 L
- 7) Braing Type: F: Disk R: Drum
- 8) Engine Type: 4 stroke, Single, Air-forced cool
- 9) Displacement: 49.5ml
- 10) Maximum power: 6.5kw/7500r/min
- 11) Max.torque: 8.0N.m/7500rpm
- 12) Starting System: Electric/Kick
- 13) Tire Size: 130/60-13
- 14) Battery Size: 12V/7AH
- 15) Conveyance:
Qty/20' FCL: 24pcs
Qty/40' FCL: 50pcs
Qty/40' HQ: 75pcs

EPA DOT



EPA